



KNIGHTS ARMAMENT COMPANY

TABLE OF CONTENTS

COMPANY BIO	2-3
RAIL ADAPTER SYSTEMS	4-23
CONTROL ACCESSORIES	24-49
CONTROL ACCESSORIES M-LOK / KEYMOD	50-61
RIFLE PARTS / ACCESSORIES	62-73
SIGHTING ACCESSORIES	74-103
SUPPRESSORS	104-119
MUZZLE DEVICES	120-125
RIFLES	126-146
KAC GEAR	147
KNIGHT VISION	148-149

COMPANY BIO

Knight's Armament Company was founded by C. Reed Knight Jr. to focus on products which met the unique requirements of U.S. Special Operations Forces. From these humble beginnings, the Knight's family of companies has grown into a premier small arms research, development and production campus. In collaboration with Eugene Stoner, Knight's has developed some of the most sought after modern firearm designs. From Mr. Knight's first developments in signature reduction devices, to the collaborations with Mr. Gene Stoner including the production of the renowned SR-25 7.62mm rifle systems, development of the revolutionary RAS rail system, and the Knight Vision UNS family of electro-optics, Knight's commitment to quality and high manufacturing standards deliver innovative, reliable, and functional weapon systems and accessories for our U.S military, federal agencies and law enforcement entities. The entire Knight's product line is designed, tested, and manufactured in our Titusville, Florida facility to perform consistently and unfailingly for our first responders. Knight's applies these same principles and commitment to quality to our commercial offerings. From firearms and accessories to state of the art electro-optics, Knight's family of products have proven to perform when it matters most.





RAIL ADAPTER SYSTEMS

One of the products that put Knight's at the forefront of innovation was the Rail Adapter System (RAS), a robust quad-rail handguard that has been installed on over 1 million of our nation's warfighters' weapons. We have since consistently refined our handguard system designs, constantly striving for improved ergonomics, reduced weight, increased stability and added modularity. The URX 4 handguard is an example of Knight's drive to innovate and manufacture intelligent solutions for the modern shooter. The URX 4 is our first negative-space accessory mounting system handguard, and features a patented Integrated Barrel Nut (IBN) attachment method that allows the handguard itself to serve as the barrel nut, eliminating separate components entirely and creating an exceptionally low weight, yet solid, platform.

RAIL ADAPTER SYSTEMS



M4 CARBINE RAS

P/N: 98064

Rail Adapter System Fits M4 Contour Barrel With Standard M4/carbine Length Distance Between Barrel Nut/Delta Ring And Fixed Front Sight Post Handguard Retainer Ring
Length: 6.25" Weight: 8.9 oz

NSN: 1005-01-500-4441


RAIL ADAPTER SYSTEMS



M5 RIFLE RAS

P/N: 98065

Rail Adapter System Fits Standard 20" AR-15/M16 Distance Between Barrel Nut/Delta Ring And Fixed Front Sight Handguard Retainer Ring
Length: 11.5" Weight: 14.4 oz

**URX II MID-LENGTH****P/N: 20549-3**

Upper Receiver Extending Forend Assembly, 5.56
Mid-Length, URX II With Integrated Front Sight
Length: 10.75" Weight: 13.4 oz

**SR-25 URX (RIFLE)****P/N: 24124-1**

Upper Receiver Extending Forend Assembly, 7.62
Rifle-Length, URX II With Integrated Front Sight
Length: 12.5" Weight: 15.2 oz




5115 438000
MILITARY MFG CO
MILITARY II
USA



URX 3

P/N: 30210

Upper Receiver Extending Rail Adapter System
5.56, (Armorer Install)
Length: 8.0" Weight: 8.6 oz




URX 3.1

P/N: 30590

Upper Receiver Extending Rail Adapter System
5.56, (Armorer Install)
Length: 10.75" Weight: 11.4 oz


**URX 3.1****P/N: 30325**

Upper Receiver Extending Rail Adapter System
5.56, (Armorer Install)
Length: 13.5" Weight: 13.8 oz

**URX 3.1****P/N: 30259**

Upper Receiver Extending Rail Adapter System
7.62, (Armorer Install)
Length: 13.5" Weight: 14.2 oz



**URX 4 M-LOK****P/N: 30738**

Forend Kit, URX 4 5.56
Length: 8.5" Weight: 8.96 oz


Keymod URX 4 P/N: 30738

**URX 4 M-LOK****P/N: 30740**

Forend Kit, URX 4 5.56
Length: 10.0" Weight: 10.08 oz

Keymod URX 4 P/N: 30740

URX 4




URX 4 M-LOK

P/N: 31207

Forend Kit, URX 4 5.56
Length: 10.75" Weight: 10.2 oz

Keymod URX 4 P/N: 31207



**URX 4 M-LOK****P/N: 30736**

Forend Kit, URX 4 5.56
Length: 13.0" Weight: 12.7 oz

Keymod URX 4 P/N: 30736

**URX 4 M-LOK****P/N: 30742**

Forend Kit, URX 4 5.56
Length: 14.5" Weight: 13.8 oz

Keymod URX 4 P/N: 30742



CONTROL ACCESSORIES

Attention to small details that are often overlooked is what helps set Knight's apart from others within the firearm industry. An excellent example of this philosophy is embodied in our line of Control Accessories. Each is designed, tested and manufactured entirely in-house. So whether it's an ambidextrous safety selector, sling mounting solution, or match grade trigger assembly, it has undergone a thorough test and evaluation process before it is brought to market. Every Knight's Armament Control Accessory serves a single underlying purpose: improve the user's ability to efficiently manipulate and effectively utilize their rifle in the most adverse conditions.



PUSH BUTTON SLING SWIVEL MOUNT P/N: 98720

MWS Forend mount with Push-button sling swivel. Includes QD Sling Swivel P/N: 97079. NSN: 1005-01-498-4854



FORWARD HAND STOP P/N: 25460

Attaches to MIL-STD 1913 accessory rail with a single flat-head screw.



CONTROL ACCESSORIES SLING MOUNT



BALL LOCK SLING SWIVEL

P/N: 21317

Sling connection point that locks into a QD sling socket, preventing the unintentional release of the sling mount.

CONTROL ACCESSORIES SLING MOUNT



AMBI QD SLING SWIVEL MOUNT

P/N: 22051-1

Receiver end plate integrates a QD sling swivel socket on either side for ambidextrous use.

NSN: 1005-01-601-5594


CONTROL ACCESSORIES BIPOD



KAC Precision Base for Harris Bipods

P/N: 31761

Provides the swivel and tracking features of the KAC Precision Bipod (pg 36), but allows a retrofit of the Harris-S Series type bipod leg assembly.



QD BIPOD MOUNT SWIVEL/PAN

P/N: 30525

Quick detach bipod mount that fits any MIL-STD-1913 rail. Features limited horizontal pan / yaw movement. Compatible with Harris S-Series Bipods only.



QD BIPOD MOUNT SWIVEL

P/N: 30526

Quick detach bipod mount that fits any MIL-STD-1913 rail. Allows limited swivel movement along the barrel's axis. Compatible with Harris S-Series Bipods only.

CONTROL ACCESSORIES BIPOD



MWS BIPOD ADAPTER **P/N: 98060**

*Designed for lower rail. Includes QD Stud 97030.
NSN: 1005-01-468-0350*



CONTROL ACCESSORIES BIPOD



KAC PRECISION BIPOD

P/N: 31693

Highly adjustable bipod with swivel and track capability. Legs can be independently deployed to 6 positions: 0, 45, 67.5, 90, 135, and 180 degrees. With the legs at 90 degrees on a flat surface it provides 6.875 to 9.25 inches of height from the bottom rail in 5 easily selectable increments. Unobtrusive, easily manipulated lever enables full yaw release and lock. Tension screw adjusts yaw drag, and may be placed on either side of base or removed completely. Single push-button retention feature allows single-handed mounting and dismounting.





P/N	NAME	NSN #
97098-TAU	Taupe Forward Pistol Grip	NSN: 1005-01-416-1091
97098-GRE	Green Forward Pistol Grip	
97098	Black Forward Pistol Grip	



P/N	NAME	NSN #
95047	11 Rib Panel Black	NSN: 1005-01-553-8053
95047-GRN	11 Rib Panel Green	
95047-TAN	11 Rib Panel Tan	
95047-TAU	11 Rib Panel Taupe	
97169	9 Rib Panel Black	N/A
97168	6 Rib Panel Black	N/A
97167	5 Rib Panel Black	NSN: 1005-01-453-4221
97166	4 Rib Panel Black	NSN: 1005-01-488-5573
97164	2 Rib Panel Black	N/A



CONTROL ACCESSORIES 1913



THUMB REST

P/N: 30537

Rubberized Thumb Rest with elevated stop and textured grip. Designed for MIL-STD-1913 top rail.



URX 3 & 3.1 PANEL KIT

P/N: 30408

1 - slim 2 hole panel, 2 - standard 2 hole panels, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts.



URX 3 & 3.1 LONG RAIL PANEL KIT

P/N: 30410

2 - standard 3 hole panels, 1 - slim 2 hole panel, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts.

CONTROL ACCESSORIES URX 3 & 3.1



URX 3 & 3.1 DELUXE RAIL PANEL KIT P/N: 30410

1 - single hole hand stop with long installation screw, 3 - slim 2 hole panels, 2 - standard 2 hole panels, 2 standard 3 hole panels, 1 standard 2 hole hand stop panel, 3 - 8 rib rail sections, 10 installation screws, 5 - square backing nuts.

CONTROL ACCESSORIES URX 3 & 3.1



8-RIB RAIL SECTION KIT P/N: 30412

MIL-STD-1913 rail section. Polymer construction, P/N: 30412-ALU constructed of aluminum.



URX 3 & 3.1 HANDSTOP

P/N: 30411

*Attaches to URX 3 and 3.1 handguard systems,
Includes attachment screw and retention nut.*



URX 3 & 3.1 QD SLING SWIVEL MOUNT KIT P/N: 30491

*Allows mounting of Quick Detach sling swivel at a 45 degree
angle along the length of any MIL-STD 1913 rail. Includes push
button QD sling swivel.*



CONTROL ACCESSORIES M-LOK / KEYMOD

In the pursuit to embody cutting edge solutions for the shooting community, Knight's is proud to offer a full selection of M-LOK™ and Keymod compatible accessories. These negative-space mounting systems have revolutionized the manner in which tactical accessories are attached to a rifle's handguard by offering a true "plug and play" interface. In addition to the universal nature of the systems, there are significant reductions in both weight and bulk over a traditional Picatinny "quad-rail" system. Knight's lineup includes many of the most sought after rail-mounted accessories, including numerous lengths of MIL-STD 1913 Picatinny Rail, offset iron sights, sling mounts, rail panel kits and more. Each of Knight's M-LOK™ and Keymod accessories were designed for seamless functionality with the new URX 4 handguard, yet each is also fully compatible with other rifle handguards that have a "to-spec" interface.

CONTROL ACCESSORIES M-LOK / KEYMOD



P/N: 31912



P/N: 30714



P/N: 30717



P/N: 30712



P/N: 30710

CONTROL ACCESSORIES M-LOK / KEYMOD

P/N	NAME	LENGTH
31912	M-LOK 5-Slot Rail	3"
30714	KEYMOD 5-Slot Rail	3"
30717	KEYMOD 7-Slot Rail	3.7"
30712	KEYMOD 9-Slot Rail	4.5"
30710	KEYMOD Full Side Rail	12"



CONTROL ACCESSORIES M-LOK / KEYMOD



KEYMOD FLAT PANEL KIT

P/N: 31190

The Knight's Keymod Flat Panel Kit includes a set of seven polymer rail panels. Each textured panel snaps securely to any bare section of Keymod equipped rail, providing a more positive gripping surface and also insulating the support hand from barrel heat. While designed for the URX 4 rail, these panels will also fit any other rifle handguard that has a Keymod interface.

**KEYMOD HANDSTOP****P/N: 30795**

Textured handstop provides a reference point for the support hand that helps the shooter to acquire a consistent grip on the rifle. Lightweight polymer construction.

**KEYMOD BARRIER STOP****P/N: 30746**

Features an aggressively textured contact plate that bites into a barrier's surface to create a more stable firing position. Aluminum construction.

**M-LOK SLING MOUNT****P/N: 32096**

The KAC M-LOK Sling Mount attaches quickly and securely to an M-LOK interface. The sling mount is compatible with push button sling swivels (sold separately).

Keymod QD Sling Mount P/N: 30708

**M-LOK BARRIER STOP****P/N: 31916**

The KAC M-LOK Skeletonized Barrier Stop eliminates all unnecessary weight while still being robust enough for hard-use. The serrated front edge will bite into most surfaces at any angle of contact. Steel construction.

Keymod Barrier Stop - Skeletonized P/N: 31233



CONTROL ACCESSORIES M-LOK / KEYMOD



M-LOK SCOUT LIGHT MOUNT P/N: 31906

The KAC M-LOK mount for SureFire M300 and M600 Scout Lights is a lightweight, direct-attach mounting platform that replaces the OEM mount. The mount can be positioned to place the light close to the handguard at any position from 1:30 to 11:30 in relation to the top 12:00 rail. Aluminum construction.

Keymod Scout Light Mount P/N: 31229

**5.56 MM AMBI CHARGING HANDLE****P/N: 31177**

Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.

**7.62 MM AMBI CHARGING HANDLE****P/N: 30538**

Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.



SEMI-AUTO AMBI SAFETY SELECTOR P/N: 25776

Ambidextrous Safety Selector available with a beveled selector or standalone headpiece for optimal operator customization.



SEMI-AUTO 2 STAGE MATCH DROP-IN TRIGGER P/N: 25362

*2-Stage, Match 4.5 lbs pull. Weight 2.4 oz
NSN :1005-01-592-0663*




AMBIDEXTROUS MAGAZINE RELEASE P/N: 20470-1

Left-side magazine release for AR pattern rifles. Oversized release button. Weight: 3 oz.



LOW PROFILE GAS BLOCK P/N: 99204-1

Gas block designed to fit 0.75" barrels, compatible with all generations of URX handguards. Press fit.




SR-25 FIELD REPAIR KIT **P/N: 98076-1**

SR-25 E2 FIELD REPAIR KIT **P/N: 31300**

Firing Pin, Extractor, Bolt Rings, etc. for SR-25

Weight 1.2 oz

NSN : 1005-01-562-9451 (98076-1)



SR-15 FIELD REPAIR KIT **P/N: 23339-1**

Firing Pin, Extractor, Bolt Rings, etc. for SR-15

Weight 1.2 oz..



SR-25 10 ROUND MAGAZINE

P/N: 98037-1

*Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.
NSN: 1005-01-473-1405*



SR-25 20 ROUND MAGAZINE

P/N: 98036-1

*Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.
NSN: 1005-01-473-1403*



RIFLE PARTS / ACCESSORIES



SR-25 BORE ROD GUIDE

P/N: 21281

*For Dewey Coated rods of .256" dia. Fits upper receiver for SR-25 Length 10.125", Weight 3 oz.
NSN : 1005-01-503-0024*



SIGHTING ACCESSORIES

Knight's line of Folding Backup Iron Sights have fast become the standard by which all others are judged. Knight's Micro Iron Sights are the choice of the United States Army, Marine Corps and numerous law enforcement agencies worldwide for a reason. They are built to exceedingly strict tolerances, maintain zero under adverse conditions and, when folded, have one of the lowest profile top-rail footprints in the industry. Knight's 45 Degree Micro Offset Sights are likewise built to the same standards of excellence and, when coupled with a high magnification day optic, they allow the shooter to engage both close and long range targets with great speed and precision.

**300M REAR FLIP SIGHT****P/N: 97082**

*300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Removable peep insert to expose 5mm diameter "ghost ring" aperture.
NSN: 1005-01-449-6306*

**600M REAR FLIP SIGHT****P/N: 98474**

600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. NSN: 1005-01-449-6868



MICRO 300M FLIP UP REAR SIGHT **P/N: 25475**

Micro 300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"



MICRO 600M FLIP UP REAR SIGHT **P/N: 25650**

*Micro 600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"
NSN: 1005-01-581-5324*



MICRO FLIP UP FRONT SIGHT

P/N: 25654

*Micro Front Flip Sight which mounts to any MIL-STD-1913 rail system. Tool-less adjustments.
NSN: 1005-01-598-4529*



FOLDING M4 FRONT SIGHT

P/N: 99051

*Originally designed for the US military's SOPMOD rifle program, the Knight's M4 Folding Front Sight is a low profile backup sighting solution that is designed to be attached to the top rail of a rifle's handguard.
NSN: 1005-01-473-1410*



45° OFFSET FOLDING SIGHT KIT

P/N: 30079

The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly.

SIGHTING ACCESSORIES



45° OFFSET FOLDING SIGHT KIT

P/N: 30076

The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an windage adjustable 300 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly.





45° OFFSET CLAMP MOUNT FOLDING SIGHT KIT

P/N: 31593

The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly. Improved mounting base.



45° OFFSET CLAMP MOUNT REAR FOLDING SIGHT KIT P/N: 30878

The sights attach securely to the 12 o'clock rail position. Includes an elevation and windage adjustable 200-600 Meter Micro Rear Sight. Improved mounting base.

**M-LOK MICRO FRONT SIGHT****P/N: 31896**

The KAC M-LOK Offset Flip Up Front Micro Sight, with finger-adjustable sight post, is designed specifically for attachment to the M-LOK URX 4 rail at the 45 degree position on the right or left hand side. Intended to be used in conjunction with KAC Rail Mounted Offset Folding Rear Sight (P/N 30878). This sight is compatible with other handguards that feature an M-LOK interface at 45 degrees from the top rail.

**45° OFFSET CLAMP MOUNT FRONT FOLDING SIGHT KIT P/N: 31592**

The sights attach securely to the 12 o'clock rail position. Includes an elevation adjustable Micro Front Sight. Improved mounting base.

**KEYMOD OFFSET FOLDING FRONT SIGHT****P/N: 30757**

Fits any URX 4 and other Keymod-ready rail systems. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Can adjust without tools.

**KEYMOD OFFSET FOLDING 300M REAR SIGHT****P/N: 30758**

Fits any URX 4 and other Keymod-ready rail systems. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Removable peep insert to expose 5mm diameter "ghost ring" aperture.

SIGHTING ACCESSORIES



KEYMOD OFFSET SIGHT KIT W/300M REAR SIGHT

P/N: 30759

Includes a Flip Up Front Micro Sight with finger-adjustable sight post and a 300 Meter Flip Up Rear Micro Sight. Designed specifically for attachment to the URX 4 rail at the 45 degree position on either the right or left hand side, this sight kit is also compatible with any other rifle handguard that has a Keymod interface.



**RAILED HIGH RISER****P/N: 30657**

Quick detach, elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, high rise rail segment to accommodate greater elevations of any rail-attachable accessories. 1.25" Height

**RAILED LOW RISER****P/N: 30779**

Quick detach, slightly elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, low rise rail segment to accommodate minor elevations of any rail-attachable accessories. 0.75" Height



SIGHTING ACCESSORIES



AIMPOINT HIGH NVG MOUNT **P/N: 30102**

High-profile riser block for an Aimpoint T1 Micro. Attaches to any MIL-STD-1913 rail via a quick-detach throw lever.

**45° OFFSET AIMPOINT MOUNT****P/N: 30279**


Offset Aimpoint Micro Mount is intended to be attached to either the 3 o'clock or 9 o'clock rail position, placing the red dot to the side of a primary optic at a 45 degree angle.

**34MM & 30MM SCOPE MOUNT****P/N: 24755; 25284**

30 mm & 34 mm Scope Mount for day optics. Fits any MIL-STD-1913 rail system. 1.5" ring height. Available in Black and Taupe.

**34MM NVG MOUNT****P/N: 30194**

High Profile 34 mm Scope Mount. Fits any MIL-STD-1913 rail system. One-piece construction, forward optic mounting for extended eye relief. 2" ring height.

**RAIL MOUNT ANTI-CANT DEVICE****P/N: 30855**

Bubble level reference to ensure correct orientation of rifle for increased consistency. Compact enough to fit under most optics with no side protrusion/snag hazard.

**34MM & 30MM SCOPE RING****P/N: 30108; 20654**

Offset Scope Ring Mount attaches an Aimpoint Micro optic to a variable power scope tube for use in close range engagements. Kit includes 2 Knight's Aimpoint Micro Battery Cap Assemblies for on board storage of up to 4 additional batteries. Available in 34mm and 30mm sizes.

**45-DEGREE OFFSET RAIL MOUNT KIT****P/N: 30480**

Fits any MIL-STD-1913 rail. Rail segment which allows any rail-attachable accessory to 45°.



SUPPRESSORS

Knight's has been designing, testing, and manufacturing Signature Reduction Devices for over 30 years. From humble beginnings using hand calculations coupled with extensive testing, KAC's suppressor research and designs have progressed with the pace of technology. The use of finite element analysis programs, high speed video, thermal analysis, and cutting-edge sound pressure recording devices and protocols in design development have helped Knight's maintain its legacy of hard-use duty-grade Signature Reduction Devices. The resulting innovative sound suppression products like the quick detach NT-4, the reflex-style Mk11 and M110 suppressors, and the new QDC (Quick Disconnect Coupler) family, have led to KAC's standing as the largest supplier of sound suppressors to the U.S. government. One of our primary goals at Knight's is to drive suppressor technology forward. Each Signature Reduction product we manufacture serves as a testament to this effort, and the benefits are passed on to every one of our customers.

SUPPRESSORS 5.56 & .45



5.56mm QDSS NT4 (BLACK) KIT

PN: 96062-1

Connects to M4QD and Triple Tap Compensator.
NT4 Gate Latch Connector.
Length: 6.5" Weight: 22 oz

NSN: 1005-01-437-0324

SUPPRESSORS 5.56 & .45



5.56mm QDSS NT4 (FLAT DARK EARTH) KIT PN: 96062-1

Connects to M4QD and Triple Tap Compensator.
NT4 Gate Latch Connector.
Length: 6.5" Weight: 22 oz

NSN: 1005-01-568-4844



5.56QDC SUPPRESSOR

PN: 30123

Connects to all 5.56 QDC Muzzle Devices. QDC Connection
Length: 6.5" Weight: 16.7 oz



5.56QDC/CQB SUPPRESSOR

PN: 30192

Connects to all 5.56 QDC Muzzle Devices. QDC Connection
Length: 5" Weight: 13.2 oz



Mk23 .45 CALIBER SUPPRESSOR

PN: 94368

Threaded Connection for Mk23 Pistols
Length: 7.5" Weight: 15.4 oz

NSN: 1005-01-435-1917



H&K USP-T .45 CALIBER SUPPRESSOR

PN: 97225

Threaded Connection for USP Pistols
Length: 7.5" Weight: 15.4 oz



SUPPRESSORS 7.62 & .300



7.62QDC SUPPRESSOR 7.62/.300

PN: 30178

Connects to 7.62 MAMS and 7.62 Flash Hider.

QDC Connector

Length: 7.78" Weight: 19.6 oz

NSN: 1005-01-623-8914

SUPPRESSORS 7.62 & .300



7.62QDC/CQB SUPPRESSOR 7.62/.300

PN: 30179

Connects to 7.62 MAMS and 7.62 Flash Hider.

QDC Connector

Length: 6.43" Weight: 14.1 oz

NSN: 1005-01-601-1822



M110 SUPPRESSOR 7.62/.300

PN: 24611

Connects to SR-25 gas block. For rifles with M110 flash hider only. Gate Latch Connector
Length: 14" Weight: 32.0 oz

NSN: 1005-01-542-4487



SR-25 RIFLE SUPPRESSOR 7.62/.300

PN: 98440

Gate Latch Connector attaches to SR-25 gas block. For rifles without muzzle device such as the Mk 11 Mod 0 and SR-25 ER.
Length: 12.25" Weight: 29.9 oz

NSN: 1005-01-474-0197





MUZZLE DEVICES

Knight's muzzle devices serve as an example of our tradition of delivering pragmatic solutions and ingenious designs. Muzzle devices and sound suppressors are developed simultaneously, creating a symbiotic relationship between the two components. The result is a complete package that is greater than the sum of its parts. Our newest line of QDC (Quick Disconnect Coupler) flash hidere and compensators are a fine example, with each muzzle device acting as a quick detach mounting platform for a companion KAC QDC sound suppressor. As stand-alone products, Knight's entire catalog of muzzle devices are specifically engineered to reduce felt recoil, diffuse blast, and/or minimize a weapon's flash signature. From the MAMS (Multi-Axis Muzzle Stability) brake, to our latest 3-prong flash hider, the interoperability, superiority, and practicality of these muzzle devices is evident in use.



P/N: 32316



P/N: 93048
NSN: 1005-01-460-3249



P/N: 30555



P/N: 30168

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
32316	NT4 MAMS	Flash Hiding Compensator Compatible with QDSS-NT4 Suppressor.	5.56	2.10"	2.3 oz	1/2" x 28
93048	M4QD FLASH HIDER KIT	Flash Hider For Connecting NT4, NT4 Gate Latch Connector.	5.56	1.88"	2.4 oz	1/2" x 28
30555	556QDC FLASH ELIMINATOR KIT	3-Prong Flash Hider for QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.15"	2.3 oz	1/2" x 28
30168	556MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.20"	2.3 oz	1/2" x 28

All Kits Include 7-Piece Shim Set & Rocksett Adhesive



P/N: 25877



P/N: 30191



P/N: 30696



P/N: 30598



P/N: 30169

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
25877	M110 FLASH HIDER KIT	M110 Style Flash Hider. Supports M110 Suppressor	7.62	2.53"	3.4 oz	3/4" x 24
30191	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded for all Knight's SR-25.	7.62	3.06"	5.6 oz	3/4" x 24
30696	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.06"	5.9 oz	5/8" x 24
30598	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.26"	5.1 oz	5/8" x 24
30169	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's SR-25.	7.62	3.26"	4.8 oz	3/4" x 24

All Kits Include 7-Piece Shim Set & Rocksett Adhesive

E. M. STONER LEGACY



In the early 1980s, a citrus farmer with a passion for firearms and a firearms designer with a passion for invention struck up an unforeseen friendship when C. Reed Knight, Jr. contacted Eugene Stoner regarding the purchase of Stoner 63 parts. That initial conversation led to a lifetime of friendship and mentorship. Mr. Stoner designed the semi-automatic, 7.62x51mm, AR-10 rifle in the late 50's. The AR-10 was scaled down for 5.56x45mm ammunition and was sold to Colt as the "AR-15". Colt later produced the design as the adopted M16. The current success of the AR-15 rifle was unpredicted by anyone at the time. Mr. Stoner still held a desire to create another 7.62mm rifle, with a design intent to utilize as many parts from the AR-15 as possible, to take advantage of the now widely available and readily supportable system. The "SR-25" name came from combining the "10" of the AR-10 and the "15" of the AR-15, along with the "SR" designation for "Stoner Rifle". The SR-25 would eventually be adopted by every branch of the US military, countless Government entities, and various friendly foreign SOF Units as one of the first purpose built semi-automatic sniper rifles, and the first to prove to be a capable performer in harsh environments. Mr. Stoner worked with Mr. Knight up until the time of his passing, leaving behind a work ethic and legacy that can be felt throughout the firearms industry in general and Knight's Armament Company in particular. Today, Mr. Stoner is renowned as one of the most prolific and innovative firearms designers of our time.

Eugene M. Stoner



SR-15 E3 MOD 2

The Knight's SR-15 Mod 2 line represents the pinnacle of firearms based upon the Eugene Stoner designed operating system. The Mod 2 update introduces several notable features to the SR-15 IWS line. The chrome lined 5.56mm NATO barrel features a proprietary mid-length gas system that increases reliability and durability while also reducing felt recoil. The Mod 2 gas system minimizes the chances of gas leakage and ensures more consistent operation in harsh conditions. The unique gas block is secured with a locking ring rather than taper pins or set screws, which increases barrel rigidity and eliminates the need to custom fit the gas block to the barrel and will not loosen with extended use. The URX 4 handguard features negative-space accessory mounting provisions for ancillary device attachments, increased cooling characteristics and reduced weight and width compared to standard M1913 rail attachment methods. Standard SR-15 features include our improved E3 round-lug bolt design which both enhances function and extends bolt life beyond the industry standard and ambidextrous controls including the bolt release, safety selector, and magazine release. A drop-in two-stage trigger serves double duty as an aid to precision marksmanship while enabling surgical speed shooting at close range. The end-plate features QD sling swivel mounting points on both sides of the receiver. Also included are a set of folding 200m-600m micro sights. The SR-15 Mod 2 is a state of the art carbine right out of the box.



SR-15 E3 CQB MOD 2

The SR-15E3 CQB Mod 2's 11.5" chrome lined, 5.56mm NATO barrel is manufactured for military grade durability, and is free-floated inside a 10.75" URX4 handguard. An improved E3 round-lug bolt design both enhances function and increases bolt life far beyond the industry standard. The ambidextrous bolt release, selector lever, and magazine release offers left-handed users the ergonomic advantages inherent to AR15-based controls. The drop-in two-stage trigger serves double duty as an aid to precision marksmanship while enabling surgical speed shooting at close range. The 5.56mm 3-Prong Flash Eliminator interferes with propellant gas combustion forward of the muzzle to significantly reduce flash signature, will not ring upon firing or when struck, and is compatible with the Knight's line of 5.56mm QDC Signature Reduction Devices.

SR-15 E3 CQB MOD 2



SR-15 E3 CQB MOD 2 M-LOK

P/N: 31952

Barrel	11.5"(29 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.25 lbs (2.83 kg)
Length	29"(73.6 cm) to 32"(81.3 cm)

31269 SR-15 E3 CQB MOD 2 Keymod
33010 Lower Receiver Kit, SR-15 SBR
31963 Upper Receiver Kit, CQB, M-LOK
31294 Upper Receiver Kit, CQB, Keymod



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



SR-15 CARBINE MOD 2



SR-15 E3 CARBINE MOD 2 M-LOK

P/N: 31946

Barrel	14.5"(37 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.4 lbs (2.9 kg)
Length	32"(81 cm) to 35"(89 cm)

- 31274 SR-15 E3 Carbine MOD 2 Keymod
- 33010 Lower Receiver Kit, SR-15 SBR
- 31949 Upper Receiver Kit, Carbine, M-LOK
- 31296 Upper Receiver Kit, Carbine, Keymod



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



SR-15 E3 MOD 2



SR-15 E3 MOD 2 M-LOK

P/N: 31900

Barrel	16"(40 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.55 lbs (2.97 kg)
Length	33.5"(85.09 cm) to 36.5"(92.7 cm)

31030 SR-15 E3 MOD 2 Keymod
25780 Lower Receiver Kit, SR-15
31962 Upper Receiver Kit, M-LOK
31296 Upper Receiver Kit, Keymod



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING

SR-15 LPR MOD 2

The Knight's SR-15 Light Precision Rifle Mod 2 is the answer for 5.56mm shooters who want a lightweight match weapon system. The LPR utilizes an 18" Match Grade Stainless Steel barrel with a Custom Match chamber and 556QDC Flash Eliminator. Additional features include a URX 4 handguard with negative-space accessory mounting provisions, Mod 2 Gas System, standard ambidextrous lower receiver, 200m-600m adjustable micro sights, and six position SOPMOD stock. The SR-15 LPR Mod 2 is equally suited as a capable competition system or precision perimeter weapon for the law enforcement sector.






SR-15 LPR MOD 2



SR-15 E3 LIGHT PRECISION RIFLE MOD 2 M-LOK P/N: 31973

Barrel	18"(45 cm) 1:7 Twist, Stainless Steel
Caliber	5.56 mm NATO
Weight	7.4 lbs (3.35 kg)
Length	35.25"(89.53 cm) to 38.5"(97.8 cm)

31733 SR-15 E3 Light Precision Rifle MOD 2 Keymod
25780 Lower Receiver Kit, SR-15
32309 Upper Receiver Kit, LPR, M-LOK
32317 Upper Receiver Kit, LPR, Keymod

-  AMBIDEXTROUS CONTROLS
-  MULTI LUG IMPROVED E3 BOLT
-  M-LOK ACCESSORY MOUNTING SYSTEM
-  2 STAGE MATCH TRIGGER
-  QDC QUICK DISCONNECT COUPLING

SR-25 E2 ACC

The SR-25 E2 ACC is the latest evolution of the lightweight 7.62mm NATO Carbine. The ACC provides 7.62mm NATO performance in a package of comparable weight and size to common lower caliber platforms. Barrel and bolt life well exceed the expectation of a lightweight carbine. An ambidextrous bolt release, selector, and magazine release offer the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. The flash hider reduces ground disturbance and flash, while allowing the attachment of Knight's QDC suppressors.







SR-25 E2 ACC



SR-25 E2 ADVANCED COMBAT CARBINE M-LOK P/N: 31893

Barrel	16"(40 cm) 5R Cut, Chrome Lined 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	8.4 lbs (3.8 kg)
Length	35.75"(91 cm) to 39.5"(100 cm)

31243 SR-25 E2 Advanced Combat Carbine Keymod

-  5R CUT RIFLED BARREL
-  AMBIDEXTRIOUS CONTROLS
-  MULTILUG IMPROVED E2 BOLT
-  M-LOK ACCESSORY MOUNTING SYSTEM
-  2 STAGE MATCH TRIGGER
-  QDC QUICK DISCONNECT COUPLING

SR-25 E2 APC

The SR-25E2 APC is the latest evolution of the dual role 7.62 mm NATO Carbine. The APC is equally adept at putting rounds on target past 800 meters or rapid multishot engagement at close range, with a barrel and bolt life to support the training regimen necessary to master these skills. An ambidextrous bolt release, selector, and magazine release offers the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In-2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. A 7.62 QDC Flash Suppressor reduces flash and ground disturbance, and supports knight's QDC Signature Reduction Devices.

SR-25 E2 APC



SR-25 E2 ADVANCED PRECISION CARBINE M-LOK P/N: 31955

Barrel	16"(40 cm) 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	9 lbs (4.1 kg)
Length	35.75"(91 cm) to 39.5"(100 cm)

31184 SR-25 Advanced Precision Carbine Keymod



SR-25 E2 APR

The SR-25E2 APR is the latest evolution of the precision 7.62mm NATO semiautomatic rifle. With a 20" match barrel, the APR is purpose-built to provide precision fire on point targets past 1,000 meters. An ambidextrous bolt release, selector, and magazine release offer the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves as an aid to long range precision marksmanship. The E2 bolt and gas system provides superior reliability in function whether suppressed or unsuppressed. A 7.62QDC Flash Suppressor reduces flash and ground disturbance, and supports Knight's QDC Signature Reduction Devices.

SR-25 E2 APR









SR-25 E2 APR ADVANCED PRECISION RIFLE

P/N: 31961

Barrel	20"(51 cm) 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	10.5 lbs (4.8 kg)
Length	39.75"(101 cm) to 43.5"(110.5 cm)

31198 SR-25 E2 APR Advanced Precision Rifle Keymod

-  5R CUT RIFLED BARREL
-  AMBIDEXTROUS CONTROLS
-  MULTILUG IMPROVED E2 BOLT
-  M-LOK ACCESSORY MOUNTING SYSTEM
-  2 STAGE MATCH TRIGGER
-  QDC QUICK DISCONNECT COUPLING

SR-30



SR-30 M-LOK

P/N: 31970

Barrel	9.5"(24 cm) 1:7 Twist, Chrome Lined
Caliber	.300 Blackout (7.62 x 35 mm)
Weight	6.2 lbs (2.81 kg)
Length	27.5"(69.2 cm) to 30.75" (70.47 cm)

31759 SR-30 Keymod
33009 Lower Receiver Kit, SR-30 SBR



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



Is the central stop for all your Knight's Armament Company merchandise. It consists of fashions for both men and women, and all manner of accessories. Baggage and other nylon goods are also featured here and serve as fashionable arm candy as well as rugged range gear. Be sure to browse through the posters, stickers, or other printed mediums and share some Knight's Armament propaganda. The imperishable quality of Knight's Armament products and the dedication to useful and durable designs has been translated to the Knight's Gear line of products. Experience the difference and show off your Knight's pride with some Knight's Gear today! International Shipping available.



WWW.KACGEAR.COM

Knight Vision™

Knight's Armament Company was founded as a Research & Development facility more than 30 years ago. Knight's has since evolved into a premier weapons manufacturer offering complete weapon systems, modular accessories and Knight Vision electro-optics. Knight's is best known for the advanced developments in weapon designs and accessories, with R&D, manufacturing, assembly and testing all performed at our facility in Titusville, FL.



ITAR

International Traffic in Arm Regulations

A U.S. Department of State License is required for the Export & Import of ALL Knight's Armament Company products under the International Traffic in Arms Regulations.


(22 CFR, Parts 120-130)

© Knight's Armament Company. Printed and designed in the United States of America. No part of this publication may be reproduced without the prior written consent of Knight's Armament Company. Products are subject to change without notice. Knight's Armament Company is an ISO 9001 Certified Company. The products, product specifications, nomenclature, and availability of all items featured in this document are subject to change at the discretion of Knight's Armament Company. Products may be photographed with optional accessories. Some products are available in other colors.


ITAR STATEMENT: These item(s) are firearm or defense related goods. Export of the goods described herein is strictly prohibited without a valid export license issued by the US Department of State, Directorate of Defense Trade Controls as prescribed in International Traffic in Arms Regulation (ITAR), CODE OF FEDERAL REGULATIONS, Title 22, Parts 120-130.

CAGE Code: 1S002


701 Columbia Blvd. Titusville, FL 32780 P: 321.607.9900 F: 321.268.1498 www.KnightArmCo.com



KNIGHTS ARMAMENT COMPANY



PRODUCT CATALOG



KNIGHTARMCO.COM

