

KNIGHT'S ARMAMENT

PRODUCT CATALOG 2014

2014

WWW.KNIGHTARMCO.COM



RAIL ADAPTER SYSTEMS

One of the products that put Knight's Armament on the map was the revolutionary M4 Carbine Rail Adapter System (RAS), a robust quad rail handguard that has been issued to over 1 million of our nation's warfighters. We have since consistently improved and refined our rail system designs, constantly striving for better ergonomics, lighter weight, increased stability and added modularity. The new URX 4 Rail is an example of KAC's drive to innovate and manufacture intelligent solutions for the modern shooter. The URX 4 Rail is our first Keymod-accessory-compatible system, as well as our most stable rail to date due to its one-piece construction. The URX 4's unique Integrated Barrel Nut (IBN) attachment method allows the rail itself to act as the barrel nut, eliminating this separate component entirely and creating an exceptionally lightweight, yet solid, platform.


1913 RAILS



P/N: 98064



P/N: 98065



P/N: 20549-3



P/N: 24124-1

P/N	NAME	DESCRIPTION	LENGTH	WEIGHT
98064	M4 CARBINE RAS	Rail Adapter System Fits M4 Contour Barrel GI/MIL SPEC Barrel NSN: 1005-01-500-4441	6.625"	11.6 oz
98065	M5 RIFLE RAS	Rail Adapter System fits 20" length barrels	12"	17 oz
20549-3	URX II MID-LENGTH	Upper Receiver Extending Forend Assembly, 5.56 Mid-Length, URX II with Integrated Front Sight.	10.75"	13.4 oz
24124-1	SR-25 URX (RIFLE)	Upper Receiver Extending Forend Assembly, 7.62 Rifle-Length, URX II with Integrated Front Sight.	12.5"	17.2 oz




URX 3 & 3.1


URX 3 & 3.1



P/N: 30210



P/N: 30590



P/N: 30325



P/N: 30259

P/N	NAME	DESCRIPTION	LENGTH	WEIGHT
30210	URX 3(5.56)	Upper Receiver Extending Rail Adapter System (Armorer Install)	8.0"	14 oz
30590	URX 3 (5.56)	Upper Receiver Extending Rail Adapter System (Armorer Install)	10.75"	11.4 oz
30325	URX 3.1 (5.56)	Upper Receiver Extending Rail Adapter System (Armorer Install)	13.5"	20 oz
30259	URX 3.1 (7.62)	Upper Receiver Extending Rail With Extended Top Rail (Armorer Install)	13.5"	22 oz








URX 4



5.56mm
MAMENT.CO
ILLE FL.
USA





P/N: 30738



P/N: 30740



P/N: 30736



P/N: 30742

P/N	NAME	DESCRIPTION	LENGTH	WEIGHT
30738	URX 4 (8.5")	Forend Kit, URX 4 5.56	8.5"	8.96 oz
30740	URX 4 (10.0")	Forend Kit, URX 4 5.56	10.0"	10.08 oz
30736	URX 4 (13")	Forend Kit, URX 4 5.56	13.0"	12.32 oz
30742	URX 4 (14.5")	Forend Kit, URX 4 5.56	14.5"	13.44 oz

A close-up, high-contrast photograph of a rifle's upper receiver and rail system. The rail is a Picatinny-style rail with multiple mounting slots. A control accessory, likely a safety selector, is mounted on the rail. The background is dark and out of focus, emphasizing the metallic components of the rifle.

CONTROL ACCESSORIES

Attention to small details that are often overlooked is what helps set Knight's Armament apart from others within the firearm industry. An excellent example of this philosophy is embodied in our line of Control Accessories. Each is designed, tested and manufactured entirely in-house. So whether it's an ambidextrous safety selector, sling mounting solution, or match grade trigger assembly, rest assured it has undergone a thorough test and evaluation process before it is allowed to leave our facility. Every Knight's Armament Control Accessory serves a single underlying purpose: improving the shooter's ability to manipulate and effectively utilize their rifle.

CONTROL ACCESSORIES 1913



PUSH BUTTON SLING SWIVEL MOUNT P/N: 98720

MWS Forend mount with Push-button sling swivel. Includes QD Sling Swivel P/N: 97079. NSN: 1005-01-498-4854



FORWARD HAND STOP

Designed for lower rail.



P/N: 25460

MWS BIPOD ADAPTER

P/N: 98060

Designed for lower rail. Includes QD Stud 97030. NSN: 1005-01-468-0350



AMBIDEXTROUS MAGAZINE RELEASE P/N: 20470-1

Ambi Mag Release for M4 Rifles with Cold-Wx Release Button Stud. Length: 10.125" Weight 3 oz.



THUMB REST

P/N: 30537

Rubberized Thumb Rest with elevated stop and textured grip. Designed for MIL-STD-1913 top rail. Accommodates an Isosceles grip.



SEMI-AUTO KAC TRIGGER

P/N: 25362

2-Stage, Match 4.5 lbs pull. Weight 2.4 oz NSN: 1005-01-592-0663



SEMI-AUTO AMBI SAFETY SELECTOR P/N: 25776

Ambidextrous Safety Selector available with a beveled selector or standalone headpiece for optimal operator customization.



QD BIPOD MOUNT SWIVEL/PAN

P/N: 30525

Quick detach bipod mount that fits any MIL-STD-1913 rail. Designed for the lower rail. Allows limited horizontal pan and swivel along the barrel's axis.



QD BIPOD MOUNT SWIVEL

P/N: 30526

Quick detach bipod mount that fits any MIL-STD-1913 rail. Designed for the lower. Allows limited swivel movement along the barrel's axis.

CONTROL ACCESSORIES



M4 SLING SWIVEL MOUNT

Carbine Rear Sling Swivel Mount.
NSN: 1005-01-505-6086

P/N: 22051



RIFLE SLING MOUNT

1" extended sling swivel mount built for
fixed buttstock rifles.

P/N: 98506



SR-25 SLING SWIVEL MOUNT

"Eyelet" for Carbine Receiver Sling Plate + Mounts and
Others. NSN: 1005-01-601-5594

P/N: 22051-1



BALL LOCK SLING SWIVEL

"Eyelet" for Carbine Receiver Sling Plate + Mounts and Others.
NSN: 1005-01-505-6087

P/N: 21317




CONTROL ACCESSORIES 1913



P/N	NAME	NSN #
95047	11 Rib Panel	NSN: 1005-01-553-8053
95047-GRN	11 Rib Panel Green	
95047-TAN	11 Rib Panel Tan	
95047-TAU	11 Rib Panel Taupe	
97169	9 Rib Panel	N/A
97168	6 Rib Panel	N/A
97167	5 Rib Panel	NSN: 1005-01-453-4221
97166	4 Rib Panel	NSN: 1005-01-488-5573
97164	2 Rib Panel	N/A

CONTROL ACCESSORIES 1913



P/N	NAME	NSN #
97098-TAU	Taupe Forward Pistol Grip	NSN: 1005-01-416-1091
97098-GRE	Green Forward Pistol Grip	
97098-BLK	Black Forward Pistol Grip	

CONTROL ACCESSORIES URX 3 & 3.1



URX 3 & 3.1 DELUXE RAIL PANEL KIT P/N: 30410

1 single hole handstop; 2 thin-line, two-hole panels; 2 standard two-hole panels; 2 standard three-hole panels; 1 two-hole handstop; 3 two-hole Picantiny rail sections; 10 screws and backing nuts.



URX 3 & 3.1 PANEL KIT

P/N: 30408

2 standard two-hole panels; 1 thin-line, two-hole panel; 1 two-hole handstop; 8 screws; and 4 backing nuts.



URX 3 & 3.1 LONG DELUXE RAIL PANEL KIT P/N: 30410

2 standard three-hole panels; 1 thin-line, two-hole panel; 1 two-hole handstop; 8 screws; and 4 backing nuts.

CONTROL ACCESSORIES URX 3 & 3.1



SLING SWIVEL

P/N: 30491

Fits URX 3 & 3.1 slick-sided rails. Sling Swivel Mount that screws onto URX 3 rail systems and angles the mount within the recesses of the rail.



BELT HOOK KIT

P/N: 30701

Fits URX 3 & 3.1 slick-sided rails. Allows a shooter to hook their weapon onto a belt, MOLLE, etc.



SLING HOOK KIT

P/N: 30700

Fits URX 3 & 3.1 slick-sided rails. It gives the shooter a location to manipulate their sling.



8-RIB RAIL SECTION KIT

P/N: 30412

MIL-STD-1913 rail segment that fits URX 3 & 3.1 slick sided rails.



URX 3 & 3.1 HANDSTOP

P/N: 30411

Single hole handstop designed to fit on the URX 3 or 3.1 rail systems. Single hole handstop with screw and backing nut.



UNIVERSAL ACCESSORIES



SR-25 BORE ROD GUIDE

P/N: 21281

For Dewey Coated rods of .256" dia. Fits upper receiver for SR-25 Length 10.125", Weight 3 oz. NSN :1005-01-503-0024



SR-25 FIELD REPAIR KIT

P/N: 98076-1

Firing Pin, Extractor, Bolt Rings, etc. for SR-25 Weight 1.2 oz NSN :1005-01-562-9451



SR-15 FIELD REPAIR KIT

P/N: 23339-1

Firing Pin, Extractor, Bolt Rings, etc. for SR-15 Weight 1.2 oz..



LOW PROFILE GAS BLOCK

P/N: 99204-1

Gas block designed to fit 0.75" barrels and for use with URX 4 rail system. It can be used with all URX Rail Systems



SR-25 10 ROUND MAGAZINE

P/N: 98037

SR-25 magazines designed to hold 10 Rounds, with heat treated steel bodies. NSN: 1005-01-473-1405



SR-25 20 ROUND MAGAZINE

P/N: 98036

SR-25 magazines designed to hold 20 Rounds, with heat treated steel bodies. NSN: 1005-01-473-1403







A close-up, high-contrast photograph of a rifle's handguard. The handguard features a series of keyhole-shaped cutouts along its length. A metal mounting bracket with two circular holes and a rectangular slot is attached to the rail. Above the bracket, a section of the rail with a series of raised, rectangular slots (Picatinny rail) is visible. The background is dark and out of focus.

KEYMOD ACCESSORIES

In our pursuit to embrace cutting edge solutions for the discerning shooter, Knight's Armament is proud to offer a full selection of Keymod compatible accessories. Originally developed by Noveske Gunworks and Vltor Weapon Systems, the Keymod mounting bracket system has revolutionized the manner in which tactical accessories are attached to a rifle's handguard by offering a true "plug and play" interface that has been standardized industry-wide. KAC's Keymod lineup includes many of the most sought after rail-mounted accessories, including numerous lengths of the M1913 Picatinny Rail, offset iron sights, sling mounts, rail panel kits and more. Each KAC Keymod accessory was designed for seamless functionality with the new URX 4 Rail, yet each is also fully compatible with any other rifle handguard that has a Keymod interface.

KEYMOD ACCESSORIES



URX 4 RAIL PANEL KIT

P/N: 31190

The KAC Keymod Flat Panel Kit includes a set of seven polymer rail panels. Each textured panel snaps securely to any bare section of Keymod equipped rail, providing a more positive gripping surface and also insulating the support hand from barrel heat. While designed for the URX 4 rail, these panels will also fit any other rifle handguard that has a Keymod interface.

KEYMOD ACCESSORIES



KEYMOD BARRIER STOP

P/N: 30746

Features an aggressively textured contact plate that bites into a wooden barrier's surface to create a more stable shooting platform. Aluminum construction.



KEYMOD BELT HOOK

P/N: 30750

Secures a rifle out of the way by hooking it to the shooter's belt or to a section of MOLLE webbing, freeing the user's hands to perform other tasks. Aluminum construction.



KEYMOD SLING HOOK

P/N: 30749

Designed for use with a single point sling. Allows the user to snag a portion of the sling with the rail mounted hook, drawing the rifle's forend snugly to the side of the body. Aluminum construction.



KEYMOD SLING MOUNT

P/N: 30708

Low profile QD sling mount is compatible with push button sling swivels. Aluminum construction.



KEYMOD HANDSTOP

P/N: 30795

Textured handstop provides a reference point for the support hand that helps the shooter to acquire a consistent grip on the rifle. Lightweight polymer construction.



KEYMOD GAS BLOCK KIT

P/N: 99204-1

Low profile gas block with 0.750" inside diameter. Uses set screws for installation, making it perfect for use with the URX 4 rail. Steel construction.



KEYMOD ACCESSORIES



P/N	NAME	LENGTH
30714	KEYMOD 5-Slot Rail	3"
30717	KEYMOD 7-Slot Rail	3.7"
30712	KEYMOD 9-Slot Rail	4.5"
30710	KEYMOD Full Side Rail	12"

A high-contrast, black and white close-up photograph of a folding backup iron sight. The sight is mounted on a rail, and its folding mechanism is partially visible. The background is dark and out of focus, showing parts of the firearm's receiver and other components. The lighting highlights the metallic textures and the precision engineering of the sight.

SIGHTS

Knight's Armament Company's line of Folding Backup Iron Sights have fast become the standard by which all others are judged. KAC's Micro Iron Sights are the choice of the United States Army, Marine Corps and numerous law enforcement agencies worldwide for a reason. They are built to exceedingly strict tolerances, maintain zero under adverse conditions and, when folded, have one of the lowest profile top-rail footprints in the industry. KAC's 45 Degree Micro Offset Sights are likewise built to the same standards of excellence and, when coupled with a high magnification day optic, they allow the shooter to engage both close and long range targets with great speed and precision.



MICRO 300M FLIP UP REAR SIGHT P/N: 25475

Micro 300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"



MICRO 600M FLIP UP REAR SIGHT P/N: 25650

Micro 600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"
NSN: 1005-01-581-5324



300M REAR FLIP SIGHT P/N: 97082

300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Removable peep insert to expose 5mm diameter "ghost ring" aperture. Length 2.25"
Weight 1.6 oz, NSN: 1005-01-449-6306



600M REAR FLIP SIGHT P/N: 98474

600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length 2.21" NSN: 1005-01-449-6868



MICRO FLIP UP FRONT SIGHT P/N: 25654

Micro Front Flip Sight which mounts to any MIL-STD-1913 rail system. No tools required for adjustments. Weight 1.5 oz, Length 1.98" Folded. NSN: 1005-01-598-4529.



FLIP UP FRONT SIGHT P/N: 99051

Front Flip Sight which mounts to any MIL-STD-1913 rail system. Folding Front Sight for Top Rail. Weight 1.6 oz, Length 1.94" Folded. NSN: 1005-01-473-1410



45° OFFSET SIGHTS



45° OFFSET FOLDING SIGHT KIT P/N: 30079
600 Meter Adjustable Micro Rear Sight, Micro Front Sight.



45° OFFSET FOLDING SIGHT KIT P/N: 30076
300 Meter Adjustable Micro Rear Sight, Micro Front Sight.



KEYMOD SIGHTS



KEYMOD MICRO FRONT FLIP SIGHT

P/N: 30757

Fits any URX 4 and other Keymod-ready rail systems. Mounts via the Keymod mounting system. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Can adjust with no tools.



KEYMOD MICRO 300M REAR FLIP SIGHT

P/N: 30758

Fits any URX 4 and other Keymod-ready rail systems. Mounts via the Keymod mounting system. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Removable peep insert to expose 5mm diameter "ghost ring" aperture.



KEYMOD MICRO 300M SIGHT KIT

P/N: 30759

Front & rear sight kit.



OPTIC MOUNTS



RAILED HIGH RISER

P/N: 30657

Quick detach, elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, high rise rail segment to accommodate greater elevations of any rail-attachable accessories.



RAILED LOW RISER

P/N: 30779

Quick detach, slightly elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, low rise rail segment to accommodate minor elevations of any rail-attachable accessories.



AIMPOINT MICRO MOUNT

P/N: 25682

Low-profile Riser Block for an Aimpoint T1 Micro. Attaches to any MIL-STD-1913 rail via a quick-detach throw lever.



AIMPOINT HIGH NVG MOUNT

P/N: 30102

High-profile riser block for an Aimpoint T1 Micro. Attaches to any MIL-STD-1913 rail via a quick-detach throw lever.



34MM & 30MM SCOPE RING

P/N: 30108; 20654

Side-scope mount for the Aimpoint T1 Micro. Available in 34mm & 30 mm sizes.



45° OFFSET AIMPOINT MOUNT

P/N: 30279

45° Offset Aimpoint T1 Micro Mount. Attaches to any MIL-STD-1913 rail.



30MM SCOPE MOUNT 34MM SCOPE MOUNT

P/N: 24755

P/N: 25284

30 mm & 34 mm Scope Mount for day optics. Fits any MIL-STD-1913 rail system. Weight 7.2 oz, Length 4.625". Available in Black and Taupe.



45-DEGREE OFFSET RAIL MOUNT KIT

P/N: 30480

Fits any MIL-STD-1913 rail. Rail segment which allows any rail-attachable accessory to 45°.



34MM NVG MOUNT

P/N: 30194

High Profile 34 mm Scope Mount. Fits any MIL-STD-1913 rail system. One-piece construction, forward optic mounting for extended eye relief. Weight 7.96 oz, Length 5.57".



SUPPRESSORS

Knight's Armament Company has been designing, testing, and manufacturing signature reduction devices for over 30 years. From humble beginnings using hand calculations coupled with extensive testing, KAC's suppressor research and design have progressed with the pace of technology. The use of finite element analysis programs, high speed video, thermal imaging and sound pressure recording devices in our suppressor development have helped KAC maintain its legacy of pioneering influential Signature Reduction Devices. The resulting innovative sound suppression products like the quick detach NT-4, the reflex-style Mk11/M110 suppressor, and our new QDC (Quick Disconnect Coupler) platform, have led to Knight's becoming the largest supplier of sound suppressors to the U.S. government. One of our primary goals at Knight's Armament is to drive suppressor technology forward. Each Signature Reduction product we manufacture serves as a testament to this effort, and the benefits are passed on to every one of our customers.

SUPPRESSORS 5.56 & .45



P/N: 96062-1

NSN: 1005-01-437-0324



P/N: 96062-2

NSN: 1005-01-568-4844



P/N: 30123



P/N: 30192



P/N: 94368

NSN: 1005-01-435-1917



P/N: 97225

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	CONNECTION
96062-1	5.56mm QDSS NT4 (BLACK) KIT	Connects to M4QD and Triple Tap Compensator. NT4 Gate Latch Connector.	5.56	6.5"	17.6 oz	Gate Latch
96062-2	5.56mm QDSS NT4 (FLAT DARK EARTH) KIT	Connects to M4QD and Triple Tap Compensator. NT4 Gate Latch Connector.	5.56	6.5"	17.6 oz	Gate Latch
30123	556QDC SUPPRESSOR	Connects to all 5.56 QDC Muzzle Devices. QDC Connection.	5.56	6.5"	17.0 oz	QDC
30192	556QDC/CQB SUPPRESSOR	Connects to all 5.56 QDC Muzzle Devices. QDC Connection.	5.56	5"	11.0 oz	QDC
94368	Mk23 .45 CALIBER SUPPRESSOR	Threaded Connection for Mk23 Pistols.	.45	7.5"	15.4 oz	Threaded
97225	H&K USP-T .45 CALIBER SUPPRESSOR	Threaded Connection for USP Pistols.	.45	7.5"	15.4 oz	Threaded

SUPPRESSORS 7.62 & .300



P/N: 30178 NSN: 1005-01-623-8914



P/N: 30179 NSN: 1005-01-601-1822



P/N: 24611 NSN: 1005-01-542-4487



P/N: 98440 NSN: 1005-01-474-0197

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	CONNECTION
30178	762QDC SUPPRESSOR	Connects to 7.62 MAMS and 7.62 Flash Hider. QDC Connector.	7.62 .300	8"	18.6 oz	QDC
30179	762QDC/CQB SUPPRESSOR	Connects to 7.62 MAMS and 7.62 Flash Hider. QDC Connector.	7.62 .300	5.5"	13.3 oz	QDC
24611	M110 SUPPRESSOR	Connects to M110 Flash Hider. Gate Latch Connector.	7.62 .300	14"	32.0 oz	Gate Latch
98440	SR-25 RIFLE SUPPRESSOR	Connects to M110 Flash Hider. Gate Latch Connector.	7.62 .300	12.5"	29.9 oz	Gate Latch



MUZZLE DEVICES

KAC's muzzle devices serve as an example of Knight's tradition of inventing pragmatic solutions and ingenious designs. Our muzzle devices and sound suppressors are developed simultaneously, creating a symbiotic relationship between the two components. The result is a complete package that's greater than the sum of its parts. Our newest line of QDC (Quick Disconnect Coupler) flash hidere and compensators are a fine example, with each muzzle device acting as a quick detach mounting platform for a companion KAC QDC sound suppressor. As stand-alone products, KAC's entire catalog of muzzle devices are specifically engineered to reduce felt recoil, diffuse blast, and/or minimize a weapon's flash signature. From the all-Inconel Triple Tap compensator, to the emerging MAMS (Multi-Axis Muzzle Stability) Brake, to our latest 3-prong flash hider, the interoperability, superiority, and practicality of these muzzle devices is clear to see.

MUZZLE DEVICES 5.56



P/N: 93048

NSN: 1005-01-460-3249



P/N: 25683



P/N: 30555



P/N: 30168

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
93048	M4QD FLASH HIDER KIT	Flash Hider For Connecting NT4. NT4 Gate Latch Connector.	5.56	1.88"	2.4 oz	1/2" x 28
25683	TRIPLE TAP COMPENSATOR KIT	Compensator For Connecting NT4. NT4 Gate Latch Connector.	5.56	1.88"	2.6 oz	1/2" x 28
30555	556QDC FLASH ELIMINATOR KIT	3-Prong Flash Hider for QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.15"	2.6 oz	1/2" x 28
30168	556MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.20"	2.7 oz	1/2" x 28

All Kits Include 7-Piece Shim Set & Rocksett Adhesive

MUZZLE DEVICES 7.62



P/N: 25877



P/N: 30191



P/N: 30696



P/N: 30598



P/N: 30169

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
25877	M110 FLASH HIDER KIT	Flash Hider For Connecting M110 Suppressor. Gate Latch Connector.	7.62	2.53"	3.4 oz	3/4" x 24
30191	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded for all Knight's SR-25.	7.62	3.06"	5.6 oz	3/4" x 24
30696	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.06"	5.9 oz	5/8" x 24
30598	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.26"	5.1 oz	5/8" x 24
30169	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's SR-25.	7.62	3.26"	4.8 oz	3/4" x 24

All Kits Include 7-Piece Shim Set & Rocksett Adhesive



SR-15 E3 CARBINE MOD 2

The Knight's Armament Company SR-15 line represents the pinnacle of firearms based upon the Eugene Stoner designed operating system. The Mod 2's 16" chrome lined, 5.56mm NATO barrel is manufactured to military specifications, and features a proprietary mid-length gas system that increases reliability and durability while also reducing felt recoil. An improved E3 round-lug bolt design both enhances function and increases bolt life far beyond the industry standard. An ambidextrous bolt release, selector, and magazine release offer left-handed users the ergonomic advantages inherent to AR15-based controls, as well as giving right-handed users alternative methods of manipulation to increase efficiency of movement. The drop-in two-stage trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. The Mod 2 update introduces several notable features to the SR15 IWS line: a URX4 handguard with Keymod accessory mounting points for ancillary device attachments increases cooling characteristics and reduces weight and bulk compared with standard 1913 rail attachment methods. A Mod 2 gas system with a proprietary design minimizes leakage and ensures more consistent operation in harsh conditions. A gas block secured with a locking ring instead of taper pins increases barrel rigidity and eliminates the need to custom fit the gas block to the barrel. Included parts and features, such as the two-sided receiver end plate QD sling swivel mounting point, collapsible six-position SOPMOD stock, hybrid ambidextrous selector lever, and folding 200-600 meter sights, round out the package to deliver a cutting-edge carbine right out of the case.



SR-15 E3 CARBINE MOD 2



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



UPPER RECEIVER EXTENDING
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT
COUPLING

SR-15 E3 CARBINE MOD 2

P/N: 31030

Barrel	16" 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm
Weight	6.60 lbs
Length	33.5" - 36.5"

A person wearing tactical gear and gloves is holding an SR-25 E2 Advanced Precision Carbine. The rifle is black with a long barrel, a scope, and a magazine. The person's hands are visible, gripping the rifle. The background is solid black.

SR-25 E2 ADVANCED PRECISION CARBINE

The SR-25E2 APC is the latest evolution of the dual role 7.62mm NATO Carbine. The APC is equally adept at putting rounds on target past 800 meters or rapid multishot engagement at close range, with a barrel and bolt life to support the training regimen necessary to master these skills. An ambidextrous bolt release, selector, and magazine release offers the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. A 7.62QDC Flash Suppressor reduces flash and ground disturbance, and supports KAC QDC Signature Reduction Devices.



SR-25 E2 ADVANCED PRECISION CARBINE



PRESSURE REDUCTION



CARBON CUTTER BOLT CARRIER



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



UPPER RECEIVER EXTENDING
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT
COUPLING

SR-25 E2 ADVANCED PRECISION CARBINE

P/N: 31184

Barrel	16" 5R Cut Rifled Chrome Lined 1:10 Twist
Caliber	7.62 mm / .308 Win
Weight	9.12 lbs
Length	35.75" to 39.5"

NEW PRODUCTS COMING SOON



SCOUT LIGHT MOUNT

P/N: 31229

The KAC Keymod mount for the SureFire M300 and M600 Scout Lights is a replacement lightweight direct-attach mounting platform. The mount can be positioned to place the light tight to the handguard at any position from 1:30 to 11:30.



SKELETONIZED KEYMOD BARRIER STOP

P/N: 31230

The KAC Skeletonized Keymod Barrier Stop eliminates all unnecessary weight while still being robust enough for hard-use. An aggressively serrated front edge will find grip on most surfaces, at any angle of contact. If desired, a sling can be attached directly to the Barrier Stop to eliminate the need for additional sling mounting points.



5.56MM AMBI CHARGING HANDLE

P/N: 31177

The KAC 5.56mm Ambidextrous Charging Handle is another step forward in the effort to deliver the most ergonomic firearms and accessories to the user. Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.



7.62MM AMBI CHARGING HANDLE

P/N: 30538

The KAC 7.62mm Ambidextrous Charging Handle is another step forward in the effort to deliver the most ergonomic firearms and accessories to the user. Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.

© Knight's Armament Company. Designed in the United States of America. No part of this publication may be reproduced without the prior written consent of Knight's Armament Company. Products are subject to change without notice. Knight's Armament Company is an ISO 9001 Certified Company. The products, product specifications, nomenclature, and availability of all items featured in this catalog are subject to change at the discretion of Knight's Armament Company. Some products featured here are photographed with optional accessories which do not come standard.

701 Columbia Blvd. Titusville, FL 32780 P: 321.607.9900 F: 321.268.1498

ITAR

International Traffic in Arms Regulations

Department of State License is required for the Export & Import of ALL Knight's Armament Company products under the International Traffic in Arms Regulations.

22 CFR Parts 120-130

TOLERANCE ON ANGLES ±

DECIMALS: .XX ± .01

.XXX ± .00

THIRD ANGLE PROJECTION



www.KnightArmCo.com