



PROUDLY SUPPLIED TO THE US MILITARY  
**KNIGHT VISION™**

**RQE**

EXPORT OF THIS PRODUCT IS REGULATED BY THE US DEPARTMENT OF STATE IN ACCORDANCE WITH THE GUIDELINES OF  
 "INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR)" PER TITLE 22, CODE OF FEDERAL REGULATIONS, PARTS 121-128.  
 THIS PRODUCT IS PROTECTED BY ONE OR MORE PATENTS BY THE USPTO



**PN:111782**

**OBVERSE SHOW SET, ASSY**

ENVIRONMENTALS	Milspec Material/ Finish
SPECIFIC MASS	Weapon Shoe: Sub 20G/Floating Show: Sub 30
HIGH FLEXIBILITY	Rotational & Fore/Aft adjustment
ADVANTAGES	Quick attach/detach, kit supports (2) optics
LOGISTICS	No special tools required
INTERFACE	Any Standard PVS-14 type
MATERIAL	7075 Aluminum
SURFACE FINISH	Type III/Ceracoat (optional)
ADAPTABILITY	Adaptive to standard dovetail receivers
COMPATIBILITY	Adaptive to legacy/future optics



**PN:111783**

**D-COLLAR**

ENVIRONMENTALS	Milspec Material/ Finish
SPECIFIC MASS	Collar Weight: 9G
HIGH FLEXIBILITY	Weapons mount/objective stop
ADVANTAGES	Multifunctional
LOGISTICS	Requires initial modification
INTERFACE	Any standard PVS-14 type
MATERIAL	6-4 Titanium
SURFACE FINISH	Type III/Ceracoat (optional)
ADAPTABILITY	Allows all typical industry accessories
COMPATIBILITY	Adaptive to legacy PVS-14 type monocular



**PN:111785**

**PARACITIC WEAPON MOUNT-STATIC, ASSY**

ENVIRONMENTALS	Milspec Material/ Finish
SPECIFIC MASS	34G (Excluding PVS-14 mount)
HIGH FLEXIBILITY	Install/Remove as needed
ADVANTAGES	Forward/Backward modularity
LOGISTICS	No special tools required
INTERFACE	Skeetir/PVS-14/Hyper 14/Vyper 14/Hyper Mum
MATERIAL	7075 Aluminum/Steel
SURFACE FINISH	Type III/Ceracoat (optional)
ADAPTABILITY	Adaptive to PVS-14 weapon mount
COMPATIBILITY	Most shoe based optics/side oriented



**PN:111787**

**SHOE SET, DEP HYPER/VYPER, ASSY**

ENVIRONMENTALS	Milspec Material/Finish
SPECIFIC MASS	Top Show:13G/Bottom shoe: 15G
HIGH FLEXIBILITY	Single Point Affix/Removal
ADVANTAGES	Quick attach/Detach. Kit supports (2) optics
LOGISTICS	No special tools required
INTERFACE	DEP HYPER/VYPER 14
MATERIAL	7075 Aluminum
SURFACE FINISH	Type III/Ceracoat (optional)
ADAPTABILITY	Converts optic to standard dovetail receivers
COMPATIBILITY	Adaptive to standard dovetail receivers



**KNIGHT'S VISION™**  
PROUDLY SUPPLIED TO THE US MILITARY

**RQE**



**PN:11789**

**J-ARM MODULAR**

<b>ENVIRONMENTALS</b>	Milspec Material/ Finish
<b>SPECIFIC MASS</b>	Sub 60G/Aluminum/Titanium/Polymer
<b>HIGH FLEXIBILITY</b>	Removes deformation/interface compromise
<b>ADVANTAGES</b>	2-Axis adjustment/Bi-lateral eye use
<b>LOGISTICS</b>	Expands current optics uses/adaptability
<b>INTERFACE</b>	Shoe-type/Adaptable/Converging
<b>QUALIFICATIONS</b>	Exceeds milspec adjustability
<b>SURFACE FINISH</b>	Type III/Ceracoat (optional)
<b>ADAPTABILITY</b>	Standard/current issue helmet mounts
<b>COMPATIBILITY</b>	Adaptive to legacy/future optics



**PN:111791**

**M-CLIP SHOE SET, ASSY**

<b>ENVIRONMENTALS</b>	Milspec Material/ Finish
<b>SPECIFIC MASS</b>	Each M-Clip: 12G / M-Clip Set: 24G
<b>HIGH FLEXIBILITY</b>	Fore/Aft installation
<b>ADVANTAGES</b>	Quick attach/detach. Kit supports (2) optics
<b>LOGISTICS</b>	No special tools required
<b>INTERFACE</b>	Standard MUM-Type interface
<b>MATERIAL</b>	7075 Aluminum
<b>SURFACE FINISH</b>	Type III/Ceracoat (optional)
<b>ADAPTABILITY</b>	Converts optic to standard dovetail receivers
<b>COMPATIBILITY</b>	Adaptive to legacy/future optics



**PN:111793**

**UNIVERSAL BRIDGE, ASSY**

<b>ENVIRONMENTALS</b>	Milspec Material/ Finish
<b>SPECIFIC MASS</b>	Sub-99G / Aluminum / Titanium / Resin
<b>HIGH FLEXIBILITY</b>	Removes deformation/interface compromise
<b>ADVANTAGES</b>	50% weight of competitive devices
<b>LOGISTICS</b>	Expands current optics uses
<b>INTERFACE</b>	Shoe-type / Adaptable / Converging
<b>QUALIFICATIONS</b>	Exceeds milspec adjustability
<b>SURFACE FINISH</b>	Type III/Ceracoat (optional)
<b>COMPATIBILITY</b>	Adaptive to legacy/future optics

EXPORT OF THIS PRODUCT IS REGULATED BY THE US DEPARTMENT OF STATE IN ACCORDANCE WITH THE GUIDELINES OF INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR) PER TITLE 22, CODE OF FEDERAL REGULATIONS, PARTS 121-128. THIS PRODUCT IS PROTECTED BY ONE OR MORE PATENTS BY THE USPTO

© Knight's Armament Company. Printed and designed in the United States of America. No part of this publication may be reproduced without the prior written consent of Knight's Armament Company. Products are subject to change without notice. Knight's Armament Company is an ISO 9001 Certified Company. The products, product specifications, nomenclature, and availability of all items featured in this document are subject to change at the discretion of Knight's Armament Company. Products may be photographed with optional accessories. Some products are available in other colors.

ITAR STATEMENT: These item(s) are firearm or defense related goods. Export of the goods described herein is strictly prohibited without a valid export license issued by the US Department of State, Directorate of Defense Trade Controls as prescribed in International Traffic in Arms Regulation (ITAR), CODE OF FEDERAL REGULATIONS, Title 22, Parts 120-130. CAGE Code: 15002