



---

**KNIGHTS ARMAMENT COMPANY**





## TABLE OF CONTENTS

<b>COMPANY BIO</b>	<b>2-3</b>
<b>RAIL ADAPTER SYSTEMS</b>	<b>4-23</b>
<b>CONTROL ACCESSORIES</b>	<b>24-49</b>
<b>CONTROL ACCESSORIES KEYMOD</b>	<b>50-61</b>
<b>RIFLE PARTS / ACCESSORIES</b>	<b>62-73</b>
<b>SIGHTING ACCESSORIES</b>	<b>74-103</b>
<b>SUPPRESSORS</b>	<b>104-119</b>
<b>MUZZLE DEVICES</b>	<b>120-125</b>
<b>RIFLES</b>	<b>126-145</b>
<b>KAC GEAR</b>	<b>146-147</b>
<b>KNIGHT VISION</b>	<b>148-149</b>

A black and white photograph of a soldier in camouflage gear, wearing a night vision device, looking through a scope. The soldier's face is partially visible through the device's eyepiece. The background is dark and out of focus.

## COMPANY BIO

C. Reed Knight Jr. originally founded Knight's Armament to focus on products which met the unique requirements of U.S. Special Operations Forces. From these humble beginnings, the Knight's family of companies has grown into a premier small arms research, development and production campus in the US. In collaboration with Eugene Stoner, Knight's has developed some of the most sought after modern firearm designs ever produced. From Mr. Knight's first developments in signature reduction devices, to the collaborations with Mr. Stoner culminating in the production of the renowned SR-25 7.62 rifle systems, development of the revolutionary RAS rail system, and the Knight Vision UNS family of electro-optics, Knight's commitment to quality and high manufacturing standards deliver innovative, reliable and functional weapon systems and accessories for our U.S military, federal agencies and law enforcement entities. The entire Knight's product line is designed, tested, and manufactured in our Titusville, Florida facility to perform consistently and unfailingly for our first responders when it matters most. Knight's applies these same principles and commitment to quality to our commercial product line. From firearms, accessories to state of the art electro-optics, rely on the Knight's family of products when it matters most.



UPRX UPPER RAIL. PN: 24013


RIFLE 7.62 MM  
U.S. M110  
KNIGHT'S ARMAMENT CO.  
TITUSVILLE, FL USA



## RAIL ADAPTER SYSTEMS

One of the products that put Knight's on the map was the revolutionary M4 Carbine Rail Adapter System (RAS), a robust quad rail handguard that has been issued to over 1 million of our nation's warfighters. We have since consistently improved and refined our rail system designs, constantly striving for better ergonomics, lighter weight, increased stability and added modularity. The new URX 4 Rail is an example of Knight's drive to innovate and manufacture intelligent solutions for the modern shooter. The URX 4 Rail is our first Keymod-accessory-compatible system, as well as our most stable rail to date due to its one-piece construction. The URX 4's unique patented Integrated Barrel Nut (IBN) attachment method allows the rail itself to act as the barrel nut, eliminating this separate component entirely and creating an exceptionally lightweight, yet solid, platform.

## RAIL ADAPTER SYSTEMS




### **M4 CARBINE RAS**

**P/N: 98064**

Rail Adapter System Fits M4 Contour  
Barrel GI/MIL SPEC Barrel  
Length: 6.25" Weight: 8.9 oz

NSN: 1005-01-500-4441

## RAIL ADAPTER SYSTEMS




### M5 RIFLE RAS

**P/N: 98065**

Rail Adapter System Fits  
20" Length Barrels  
Length: 11.5" Weight: 14.4 oz



## URX II




### URX II MID-LENGTH

**P/N: 20549-3**

Upper Receiver Extending Forend Assembly, 5.56  
Mid-Length, URX II With Integrated Front Sight  
Length: 10.75" Weight: 13.4 oz






## SR-25 URX (RIFLE)

**P/N: 24124-1**


Upper Receiver Extending Forend Assembly, 7.62  
Rifle-Length, URX II With Integrated Front Sight  
Length: 12.5" Weight: 15.2 oz



SR 15 5.56mm  
EMIGRANT'S MFG. CO.  
JANUARY 11  
USA




## URX 3 & 3.1



### URX 3

**P/N: 30210**

Upper Receiver Extending Rail Adapter System  
5.56, (Armorer Install)  
Length: 8.0" Weight: 8.6 oz




### URX 3.1

**P/N: 30590**

Upper Receiver Extending Rail Adapter System  
5.56, (Armorer Install)  
Length: 10.75" Weight: 11.4 oz

## URX 3 & 3.1




### URX 3.1

P/N: 30325

Upper Receiver Extending Rail Adapter System  
5.56, (Armorer Install)  
Length: 13.5" Weight: 13.8 oz

## URX 3 & 3.1



### URX 3.1

P/N: 30259

Upper Receiver Extending Rail Adapter System  
7.62, (Armorer Install)  
Length: 13.5" Weight: 14.2 oz



URX




The image features a black and white photograph of a typewriter keyboard and a person's hand typing. Overlaid on the image is a large, bold, red logo consisting of the letters 'URX' followed by a red octagonal symbol containing a stylized 'G' or 'C'.





## URX 4




### URX 4

P/N: 30738

Forend Kit, URX 4 5.56

Length: 8.5" Weight: 8.96 oz




**URX 4**

**P/N: 30740**

Forend Kit, URX 4 5.56  
Length: 10.0" Weight: 10.08 oz

## URX 4



### URX 4


P/N: 31207

Forend Kit, URX 4 5.56

Length: 10.75" Weight: 10.2 oz



## URX 4




### URX 4

**P/N: 30736**

Forend Kit, URX 4 5.56

Length: 13.0" Weight: 12.7 oz



**URX 4**

**P/N: 30742**

Forend Kit, URX 4 5.56  
Length: 14.5" Weight: 13.8 oz







## CONTROL ACCESSORIES

Attention to small details that are often overlooked is what helps set Knight's apart from others within the firearm industry. An excellent example of this philosophy is embodied in our line of Control Accessories. Each is designed, tested and manufactured entirely in-house. So whether it's an ambidextrous safety selector, sling mounting solution, or match grade trigger assembly, rest assured it has undergone a thorough test and evaluation process before it is allowed to leave our facility. Every Knight's Armament Control Accessory serves a single underlying purpose: improving the shooter's ability to manipulate and effectively utilize their rifle.

## CONTROL ACCESSORIES SLING MOUNT



### **PUSH BUTTON SLING SWIVEL MOUNT**

**P/N: 98720**

*MWS Forend mount with Push-button sling swivel. Includes QD Sling Swivel P/N: 97079. NSN: 1005-01-498-4854*

## CONTROL ACCESSORIES SLING MOUNT



**FORWARD HAND STOP**

**P/N: 25460**

*Designed for lower rail.*



## CONTROL ACCESSORIES SLING MOUNT



**BALL LOCK SLING SWIVEL**

**P/N: 21317**

*"Eyelet" for Carbine Receiver Sling Plate + Mounts and  
Others. NSN: 1005-01-505-6087*

## CONTROL ACCESSORIES SLING MOUNT



### **AMBI QD SLING SWIVEL MOUNT**

**P/N: 22051-1**

*Receiver end plate integrates a QD sling swivel socket on either side for ambidextrous use.*

*NSN: 1005-01-601-5594*

## CONTROL ACCESSORIES SLING MOUNT




### **RIFLE SLING MOUNT**

**P/N: 98506**

*1" extended sling swivel mount built for fixed buttstock rifles.*

## CONTROL ACCESSORIES BIPOD



### **QD BIPOD MOUNT SWIVEL/PAN**

**P/N: 30525**

*Quick detach bipod mount that fits any MIL-STD-1913 rail.  
Features limited horizontal pan / yaw movement. Compatible  
with Harris S-Series Bipods only.*



## CONTROL ACCESSORIES BIPOD



### **QD BIPOD MOUNT SWIVEL**

**P/N: 30526**

*Quick detach bipod mount that fits any MIL-STD-1913 rail.  
Allows limited swivel movement along the barrel's axis.  
Compatible with Harris S-Series Bipods only.*

## CONTROL ACCESSORIES BIPOD



### **MWS BIPOD ADAPTER**

**P/N: 98060**

*Designed for lower rail. Includes QD Stud 97030.*

*NSN: 1005-01-468-0350*



## CONTROL ACCESSORIES BIPOD



### **KNIGHT'S BIPOD**

**P/N: 31693**

*Bipod Assembly W/QD rail mount, pan & yaw Capable.*



## CONTROL ACCESSORIES 1913



## CONTROL ACCESSORIES 1913

P/N	NAME	NSN #
97098-TAU	Taupe Forward Pistol Grip	NSN: 1005-01-416-1091
97098-GRE	Green Forward Pistol Grip	
97098	Black Forward Pistol Grip	

## CONTROL ACCESSORIES 1913





## CONTROL ACCESSORIES 1913

P/N	NAME	NSN #
<b>95047</b>	<b>11 Rib Panel Black</b>	<b>NSN: 1005-01-553-8053</b>
<b>95047-GRN</b>	<b>11 Rib Panel Green</b>	
<b>95047-TAN</b>	<b>11 Rib Panel Tan</b>	
<b>95047-TAU</b>	<b>11 Rib Panel Taupe</b>	
<b>97169</b>	<b>9 Rib Panel Black</b>	<b>N/A</b>
<b>97168</b>	<b>6 Rib Panel Black</b>	<b>N/A</b>
<b>97167</b>	<b>5 Rib Panel Black</b>	<b>NSN: 1005-01-453-4221</b>
<b>97166</b>	<b>4 Rib Panel Black</b>	<b>NSN: 1005-01-488-5573</b>
<b>97164</b>	<b>2 Rib Panel Black</b>	<b>N/A</b>



## CONTROL ACCESSORIES 1913



### **THUMB REST**

**P/N: 30537**

*Rubberized Thumb Rest with elevated stop and textured grip. Designed for MIL-STD-1913 top rail.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 PANEL KIT**

**P/N: 30408**

*1 - slim 2 hole panel, 2 - standard 2 hole panels, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 LONG RAIL PANEL KIT      P/N: 30410**

*2 - standard 3 hole panels, 1 - slim 2 hole panel, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 DELUXE RAIL PANEL KIT      P/N: 30410**

*1 - single hole hand stop with long installation screw, 3 - slim 2 hole panels, 2 - standard 2 hole panels, 2 standard 3 hole panels, 1 standard 2 hole hand stop panel, 3 - 8 rib rail sections, 10 installation screws, 5 - square backing nuts.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **8-RIB RAIL SECTION KIT**

**P/N: 30412**

*MIL-STD-1913 rail section. Polymer construction,  
P/N: 30412-ALU constructed of aluminum.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 HANDSTOP**

**P/N: 30411**

*Single hole handstop designed to fit on the URX 3 or 3.1 rail systems, with screw and backing nut.*



## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 QD SLING SWIVEL MOUNT KIT P/N: 30491**

*Allows mounting of QD sling swivel at a 45 degree angle along the length of the rail system. Includes push button sling swivel.*



## CONTROL ACCESSORIES KEYMOD

In our pursuit to embrace cutting edge solutions for the shooting community, Knight's is proud to offer a full selection of Keymod compatible accessories. The Keymod mounting bracket system has revolutionized the manner in which tactical accessories are attached to a rifle's handguard by offering a true "plug and play" interface that has been standardized industry-wide. In addition to the universal nature of the Keymod system, there are significant reductions in both weight and bulk over a traditional Picatinny rail system. Knight's Keymod lineup includes many of the most sought after rail-mounted accessories, including numerous lengths of M1913 Picatinny Rail, offset iron sights, sling mounts, rail panel kits and more. Each Knight's Keymod accessory was designed for seamless functionality with the new URX 4 Rail, yet each is also fully compatible with any other rifle handguard that has a Keymod interface.

## CONTROL ACCESSORIES KEYMOD



P/N: 30714



P/N: 30717




P/N: 30712



P/N: 30710

## CONTROL ACCESSORIES KEYMOD

P/N	NAME	LENGTH
30714	KEYMOD 5-Slot Rail	3"
30717	KEYMOD 7-Slot Rail	3.7"
30712	KEYMOD 9-Slot Rail	4.5"
30710	KEYMOD Full Side Rail	12"



## CONTROL ACCESSORIES KEYMOD



### URX 4 RAIL PANEL KIT

**P/N: 31190**

*The Knight's Keymod Flat Panel Kit includes a set of seven polymer rail panels. Each textured panel snaps securely to any bare section of Keymod equipped rail, providing a more positive gripping surface and also insulating the support hand from barrel heat. While designed for the URX 4 rail, these panels will also fit any other rifle handguard that has a Keymod interface.*

## CONTROL ACCESSORIES KEYMOD



### **KEYMOD HANDSTOP**

**P/N: 30795**

*Textured handstop provides a reference point for the support hand that helps the shooter to acquire a consistent grip on the rifle. Lightweight polymer construction.*



## CONTROL ACCESSORIES KEYMOD



### **KEYMOD QD SLING MOUNT**

**P/N: 30708**

*The Knight's Keymod Sling Mount attaches quickly and securely to the URX 4 rail or any other rifle handguard that has a Keymod interface. The sling mount is compatible with push button sling swivels (sold separately).*

## CONTROL ACCESSORIES KEYMOD



### **KEYMOD BARRIER STOP**

**P/N: 30746**

*Features an aggressively textured contact plate that bites into a barrier's surface to create a more stable shooting platform. Aluminum construction.*

## CONTROL ACCESSORIES KEYMOD




### **KEYMOD BARRIER STOP - SKELETONIZED**

**P/N: 31233**

*The Knight's Skeletonized Keymod Barrier Stop eliminates all unnecessary weight while still being robust enough for hard-use. An aggressively serrated front edge will find grip on most surfaces, at any angle of contact. This barrier stop incorporates a QD sling swivel socket, as well as the ability to clip a sling directly to the device. Aluminum construction.*



## CONTROL ACCESSORIES KEYMOD



### **KEYMOD SCOUT LIGHT MOUNT      P/N: 31229**

*The Knight's Keymod mount for the SureFire M300 and M600 Scout Lights is a replacement lightweight direct-attach mounting platform. The mount can be positioned to place the light tight to the handguard at any position from 1:30 to 11:30.*

## RIFLE PARTS / ACCESSORIES



### **5.56 MM AMBI CHARGING HANDLE**

**P/N: 31177**

*Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.*

## RIFLE PARTS / ACCESSORIES



### **7.62 MM AMBI CHARGING HANDLE**

**P/N: 30538**

*Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.*

## RIFLE PARTS / ACCESSORIES



### **SEMI-AUTO AMBI SAFETY SELECTOR**

**P/N: 25776**

*Ambidextrous Safety Selector available with a beveled selector or standalone headpiece for optimal operator customization.*



## RIFLE PARTS / ACCESSORIES



### **SEMI-AUTO 2 STAGE MATCH DROP-IN TRIGGER    P/N: 25362**

*2-Stage, Match 4.5 lbs pull. Weight 2.4 oz*

*NSN:1005-01-592-0663*

## RIFLE PARTS / ACCESSORIES



### **AMBIDEXTROUS MAGAZINE RELEASE      P/N: 20470-1**

*Ambi Mag Release for AR style rifles with Cold-Wx Release  
ButtonStud. Length: 10.125" Weight 3 oz.*

## RIFLE PARTS / ACCESSORIES




### **LOW PROFILE GAS BLOCK**

**P/N: 99204-1**

*Gas block designed to fit 0.75" barrels and for use with URX 4 rail system. It can be used with all URX Rail Systems*

## RIFLE PARTS / ACCESSORIES



### **SR-25 FIELD REPAIR KIT**


**P/N: 98076-1**

*Firing Pin, Extractor, Bolt Rings, etc. for SR-25*

*Weight 1.2 oz*

*NSN :1005-01-562-9451*

## RIFLE PARTS / ACCESSORIES



### **SR-15 FIELD REPAIR KIT**

**P/N: 23339-1**

*Firing Pin, Extractor, Bolt Rings, etc. for SR-15*  
*Weight 1.2 oz..*

## RIFLE PARTS / ACCESSORIES



### **SR-25 10 ROUND MAGAZINE**

**P/N: 98037-1**

*Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.*

*NSN: 1005-01-473-1405*

## RIFLE PARTS / ACCESSORIES



### **SR-25 20 ROUND MAGAZINE**

**P/N: 98036-1**

*Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.*

*NSN: 1005-01-473-1403*



RIFLE 7.62 MM  
SR 25  
KNIGHT'S MANUFACTURING CO.  
TITUSVILLE, FL. USA



## RIFLE PARTS / ACCESSORIES



### **SR-25 BORE ROD GUIDE**

**P/N: 21281**

*For Dewey Coated rods of .256" dia. Fits upper receiver for  
SR-25 Length 10.125", Weight 3 oz.  
NSN :1005-01-503-0024*



## SIGHTING ACCESSORIES

Knight's line of Folding Backup Iron Sights have fast become the standard by which all others are judged. Knight's Micro Iron Sights are the choice of the United States Army, Marine Corps and numerous law enforcement agencies worldwide for a reason. They are built to exceedingly strict tolerances, maintain zero under adverse conditions and, when folded, have one of the lowest profile top-rail footprints in the industry. Knight's 45 Degree Micro Offset Sights are likewise built to the same standards of excellence and, when coupled with a high magnification day optic, they allow the shooter to engage both close and long range targets with great speed and precision.

## SIGHTING ACCESSORIES



### **300M REAR FLIP SIGHT**

**P/N: 97082**

*300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Removable peep insert to expose 5mm diameter "ghost ring" aperture.*

*NSN: 1005-01-449-6306*

## SIGHTING ACCESSORIES



### **600M REAR FLIP SIGHT**

**P/N: 98474**

*600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. NSN: 1005-01-449-6868*

## SIGHTING ACCESSORIES



### **MICRO 300M FLIP UP REAR SIGHT**

**P/N: 25475**

*Micro 300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"*

## SIGHTING ACCESSORIES



### **MICRO 600M FLIP UP REAR SIGHT**

**P/N: 25650**

*Micro 600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"*  
*NSN: 1005-01-581-5324*

## SIGHTING ACCESSORIES



### **MICRO FLIP UP FRONT SIGHT**

**P/N: 25654**

*Micro Front Flip Sight which mounts to any MIL-STD-1913 rail system. No tools required for adjustments. Folded.  
NSN: 1005-01-598-4529.*



## SIGHTING ACCESSORIES



### **FOLDING M4 FRONT SIGHT**

**P/N: 99051**

*Originally designed for the US military's SOPMOD rifle program, the Knight's M4 Folding Front Sight is a low profile backup sighting solution that is designed to be attached to the top rail of a rifle's handguard. NSN: 1005-01-473-1410*



## SIGHTING ACCESSORIES



### **45° OFFSET FOLDING SIGHT KIT**

**P/N: 30079**

*The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly.*

## SIGHTING ACCESSORIES




### **45° OFFSET FOLDING SIGHT KIT**

**P/N: 30076**

*The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an windage adjustable 300 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly.*



## SIGHTING ACCESSORIES



### **45° OFFSET CLAMP MOUNT FOLDING SIGHT KIT**

**P/N: 31593**

*The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly. Improved mounting base.*


## SIGHTING ACCESSORIES



### **45° OFFSET CLAMP MOUNT REAR FOLDING SIGHT KIT P/N: 30878**

*The sights attach securely to the 12 o'clock rail position. Includes an elevation and windage adjustable 200-600 Meter Micro Rear Sight. Improved mounting base.*

## SIGHTING ACCESSORIES



### **45° OFFSET CLAMP MOUNT FRONT FOLDING SIGHT KIT     P/N: 31592**

*The sights attach securely to the 12 o'clock rail position. Includes an elevation adjustable Micro Front Sight. Improved mounting base.*





## SIGHTING ACCESSORIES



### **KEYMOD OFFSET FOLDING FRONT SIGHT**

**P/N: 30757**

*Fits any URX 4 and other Keymod-ready rail systems. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Can adjust without tools.*

## SIGHTING ACCESSORIES



### **KEYMOD OFFSET FOLDING 300M REAR SIGHT**

**P/N: 30758**

*Fits any URX 4 and other Keymod-ready rail systems. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Removable peep insert to expose 5mm diameter “ghost ring” aperture.*

## SIGHTING ACCESSORIES




### **KEYMOD OFFSET SIGHT KIT W/300M REAR SIGHT**

**P/N: 30759**

*Includes a Flip Up Front Micro Sight with finger-adjustable sight post and a 300 Meter Flip Up Rear Micro Sight. Designed specifically for attachment to the URX 4 rail at the 45 degree position on either the right or left hand side, this sight kit is also compatible with any other rifle handguard that has a Keymod interface.*



## SIGHTING ACCESSORIES




### **RAILED HIGH RISER**

**P/N: 30657**

*Quick detach, elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, high rise rail segment to accommodate greater elevations of any rail-attachable accessories. 1.25" Height*

## SIGHTING ACCESSORIES



### **RAILED LOW RISER**

**P/N: 30779**

*Quick detach, slightly elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, low rise rail segment to accommodate minor elevations of any rail-attachable accessories. 0.75" Height*





## SIGHTING ACCESSORIES



### **AIMPOINT HIGH NVG MOUNT**

**P/N: 30102**

*High-profile riser block for an Aimpoint T1 Micro. Attaches to any MIL-STD-1913 rail via a quick-detach throw lever.*

## SIGHTING ACCESSORIES



### **45° OFFSET AIMPOINT MOUNT**

**P/N: 30279**

*Offset Aimpoint Micro Mount is intended to be attached to either the 3 o'clock or 9 o'clock rail position, placing the red dot to the side of a primary optic at a 45 degree angle.*

## SIGHTING ACCESSORIES



### **34MM & 30MM SCOPE MOUNT**

**P/N: 24755; 25284**

*30 mm & 34 mm Scope Mount for day optics. Fits any MIL-STD-1913 rail system. 1.5" ring height. Available in Black and Taupe.*

## SIGHTING ACCESSORIES




### **34MM NVG MOUNT**

**P/N: 30194**

*High Profile 34 mm Scope Mount. Fits any MIL-STD-1913 rail system. One-piece construction, forward optic mounting for extended eye relief. 2" ring height.*

## SIGHTING ACCESSORIES



### **RAIL MOUNT ANTI-CANT DEVICE**

**P/N: 30855**

*Compact enough to fit under most optics. Bubble level displays amount of cant for the shooter to make faster and easier corrections for accuracy.*

## SIGHTING ACCESSORIES



### **34MM & 30MM SCOPE RING**

**P/N: 30108; 20654**

*Offset Scope Ring Mount attaches an Aimpoint Micro optic to a variable power scope tube for use in close range engagements. Kit includes 2 Knight's Aimpoint Micro Battery Cap Assemblies for on board storage of up to 4 additional batteries. Available in 34mm and 30mm sizes.*

## SIGHTING ACCESSORIES



### **45-DEGREE OFFSET RAIL MOUNT KIT**

**P/N: 30480**

*Fits any MIL-STD-1913 rail. Rail segment which allows any rail-attachable accessory to 45°.*





## SUPPRESSORS

Knight's has been designing, testing, and manufacturing signature reduction devices for over 30 years. From humble beginnings using hand calculations coupled with extensive testing, Knight's's suppressor research and design have progressed with the pace of technology. The use of finite element analysis programs, high speed video, thermal imaging and sound pressure recording devices in our suppressor development have helped Knight's maintain its legacy of pioneering influential Signature Reduction Devices. The resulting innovative sound suppression products like the quick detach NT-4, the reflex-style Mk11/M0110 suppressor, and our new QDC (Quick Disconnect Coupler) platform, have led to Knight's becoming the largest supplier of sound suppressors to the U.S. government. One of our primary goals at Knight's is to drive suppressor technology forward. Each Signature Reduction product we manufacture serves as a testament to this effort, and the benefits are passed on to every one of our customers.

## SUPPRESSORS 5.56 & .45




### 5.56mm QDSS NT4 (BLACK) KIT

PN: 96062-1

Connects to M4QD and Triple Tap Compensator.  
NT4 Gate Latch Connector.  
Length: 6.5" Weight: 22 oz

NSN: 1005-01-437-0324

## SUPPRESSORS 5.56 & .45



### **5.56mm QDSS NT4 (FLAT DARK EARTH) KIT** PN: 96062-1


Connects to M4QD and Triple Tap Compensator.

NT4 Gate Latch Connector.

Length: 6.5" Weight: 22 oz

NSN: 1005-01-568-4844

## SUPPRESSORS 5.56 & .45



### 5.56QDC SUPPRESSOR

**PN: 30123**

Connects to all 5.56 QDC Muzzle Devices. QDC  
Connection

Length: 6.5" Weight: 16.7 oz

## SUPPRESSORS 5.56 & .45



### 5.56QDC/CQB SUPPRESSOR

**PN: 30192**

Connects to all 5.56 QDC Muzzle Devices. QDC  
Connection  
Length: 5" Weight: 13.2 oz

## SUPPRESSORS 5.56 & .45



### **Mk23 .45 CALIBER SUPPRESSOR**

**PN: 94368**

Threaded Connection for Mk23 Pistols  
Length: 7.5" Weight: 15.4 oz

NSN: 1005-01-435-1917


## SUPPRESSORS 5.56 & .45



### **H&K USP-T .45 CALIBER SUPPRESSOR**

**PN: 97225**

Threaded Connection for USP Pistols  
Length: 7.5" Weight: 15.4 oz







## SUPPRESSORS 7.62 & .300



### 7.62QDC SUPPRESSOR 7.62/.300

**PN: 30178**

Connects to 7.62 MAMS and 7.62 Flash Hider.

QDC Connector

Length: 7.78" Weight: 19.6 oz

NSN: 1005-01-623-8914

## SUPPRESSORS 7.62 & .300



### **7.62QDC/CQB SUPPRESSOR 7.62/.300** **PN: 30179**

Connects to 7.62 MAMS and 7.62 Flash Hider.

QDC Connector

Length: 6.43" Weight: 14.1 oz

NSN: 1005-01-601-1822

## SUPPRESSORS 7.62 & .300



### **M110 SUPPRESSOR 7.62/.300**

**PN: 24611**

Connects to SR-25 gas block. For rifles with M110 flash hider only. Gate Latch Connector

Length: 14" Weight: 32.0 oz

NSN: 1005-01-542-4487

## SUPPRESSORS 7.62 & .300



### **SR-25 RIFLE SUPPRESSOR 7.62/.300**

**PN: 98440**

Connects to SR-25 gas block. For rifles without muzzle device. Gate Latch Connector

Length: 12.25" Weight: 29.9 oz

NSN: 1005-01-474-0197











## MUZZLE DEVICES

Knight's muzzle devices serve as an example of Knight's tradition of inventing pragmatic solutions and ingenious designs. Our muzzle devices and sound suppressors are developed simultaneously, creating a symbiotic relationship between the two components. The result is a complete package that's greater than the sum of its parts. Our newest line of QDC (Quick Disconnect Coupler) flash hiders and compensators are a fine example, with each muzzle device acting as a quick detach mounting platform for a companion Knight's QDC sound suppressor. As stand-alone products, Knight's entire catalog of muzzle devices are specifically engineered to reduce felt recoil, diffuse blast, and/or minimize a weapon's flash signature. From the all-Inconel Triple Tap compensator, to the emerging MAMS (Multi-Axis Muzzle Stability) Brake, to our latest 3-prong flash hider, the interoperability, superiority, and practicality of these muzzle devices is clear to see.

## MUZZLE DEVICES 5.56



P/N: 93048  
NSN: 1005-01-460-3249



P/N: 30555



P/N: 30168

## MUZZLE DEVICES 5.56

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
93048	M4QD FLASH HIDER KIT	Flash Hider For Connecting NT4. NT4 Gate Latch Connector.	5.56	1.88"	2.4 oz	1/2" x 28
30555	556QDC FLASH ELIMINATOR KIT	3-Prong Flash Hider for QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.15"	2.3 oz	1/2" x 28
30168	556MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.20"	2.3 oz	1/2" x 28

*All Kits Include 7-Piece Shim Set & Rocksett Adhesive*

## MUZZLE DEVICES 7.62



P/N: 25877



P/N: 30191



P/N: 30696



P/N: 30598



P/N: 30169

## MUZZLE DEVICES 7.62

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
25877	M110 FLASH HIDER KIT	Flash Hider For Connecting M110 Suppressor. Gate Latch Connector.	7.62	2.53"	3.4 oz	3/4" x 24
30191	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded for all Knight's SR-25.	7.62	3.06"	5.6 oz	3/4" x 24
30696	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.06"	5.9 oz	5/8" x 24
30598	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.26"	5.1 oz	5/8" x 24
30169	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's SR-25.	7.62	3.26"	4.8 oz	3/4" x 24

*All Kits Include 7-Piece Shim Set & Rocksett Adhesive*

## E. M. STONER LEGACY



In the early 1980s, a citrus farmer with a passion for firearms and a firearms designer with a passion for invention struck up an unforeseen friendship. C. Reed Knight, Jr. contacted Eugene Stoner regarding the purchase of Stoner 63 parts. That initial conversation led to lifetime friendship and mentorship. Mr. Stoner designed the semi-automatic, .762mm, AR-10 rifle in the late 50's. The AR-10 was scaled down 5.56mm and was sold to Colt as an AR-15, Colt later produced the weapon as the adopted M-16. No one could imagine this the success of the AR-15 rifle. Mr. Stoner wanted to create another 7.62mm rifle and use as many parts from the AR-10 as possible.  $10 + 15 = 25$  and the SR-25 was born, the weapon would be adopted by almost every major branch of the US military. As one of the first purpose built semi-automatic snipers. Mr. Stoner worked with Mr. Knight up until the time of death. Mr. Stoner left behind a work ethic and legacy that can be felt throughout the firearms industry and Knight's Armament Company. Today, Mr. Stoner is known as one of the most prolific firearms designers of our age.



*Eugene M. Stoner*





## SR-15 E3 MOD 2

The Knight's SR-15 Mod 2 line represents the pinnacle of firearms based upon the Eugene Stoner designed operating system. The Mod 2 update introduces several notable features to the SR-15 IWS line. The chrome lined 5.56mm NATO barrel features a proprietary mid-length gas system that increases reliability and durability while also reducing felt recoil. The Mod 2 gas system minimizes the chances of gas leakage and ensures more consistent operation in harsh conditions. The new gas block is secured with a locking ring instead of taper pins, which increases barrel rigidity and eliminates the need to custom fit the gas block to the barrel. A URX 4 handguard with Keymod accessory mounting points for ancillary device attachments, increases cooling characteristics and reduces weight and bulk compared to standard M1913 rail attachment methods. Standard features also include the improved E3 round-lug bolt design which both enhances function and increases bolt life far beyond the industry standard, an ambidextrous bolt release, ambi safety selector, and ambi magazine release. A drop-in two-stage trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. An ambidextrous receiver end plate QD sling swivel mounting point, collapsible six position SOPMOD stock, and folding 200m-600m micro sights, round out the package to deliver a cutting-edge carbine right out of the box.





## SR-15 E3 CQB MOD 2

The SR-15E3 CQB Mod 2's 11.5" chrome lined, 5.56mm NATO barrel is manufactured for military grade durability, and is free-floated inside a 10.75" URX4 handguard. An improved E3 round-lug bolt design both enhances function and increases bolt life far beyond the industry standard. The ambidextrous bolt release, selector lever, and magazine release offers left-handed users the ergonomic advantages inherent to AR15-based controls. The drop-in two-stage trigger serves double duty as an aid to precision marksmanship while enabling surgical speed shooting at close range. The 5.56mm 3-Prong Flash Eliminator interferes with propellant gas combustion forward of the muzzle to significantly reduce flash signature, will not ring upon firing or when struck, and is compatible with the Knight's line of 5.56mm QDC Signature Reduction Devices.

## SR-15 E3 CQB MOD 2



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING

### SR-15 E3 CQB MOD 2

P/N: 31269

Barrel	11.5" (29.2 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm
Weight	6.1 lbs (2.76 kg)
Length	29" (73.6 cm) to 32" (81.3 cm)



## SR-15 CARBINE MOD 2



### SR-15 E3 CARBINE MOD 2

P/N: 31274

Barrel	14.5" 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm
Weight	6.64 lbs
Length	32"-35"



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING





## SR-15 E3 MOD 2



### SR-15 E3 MOD 2

P/N: 31030

Barrel	16" 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm
Weight	6.75 lbs
Length	33.5"-36.5"



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING

## SR-15 LPR MOD 2

The Knight's SR-15 Light Precision Rifle Mod 2 is the answer for 5.56mm shooters who want a lightweight match weapon system. The LPR utilizes an 18" Match Grade Stainless Steel barrel with a Custom Match chamber and 556QDC Flash Eliminator. Additional features include a URX 4 handguard with Keymod mounting points, Mod 2 Gas System, standard ambidextrous lower receiver, 200m-600m adjustable micro sights, and six position SOPMOD stock. The SR-15 LPR Mod 2 is equally suited as a capable competition system or precision perimeter weapon for the law enforcement sector.

## SR-15 LPR MOD 2



### SR-15 LPR MOD 2

P/N: 31274

Barrel	18" Stainless Steel 1:7 Twist
Caliber	5.56 mm
Weight	7.5 lbs
Length	32"-35"



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING

## SR-25 E2 ACC

The SR-25 E2 ACC is the latest evolution of the lightweight 7.62mm NATO Carbine. The ACC projects 7.62mm NATO performance in a package of comparable weight and size to many 5.56mm platforms. Barrel and bolt life well exceed the expectation of a lightweight carbine. An ambidextrous bolt release, selector, and magazine release offer the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. The 5-slot flash hider reduces ground disturbance and flash, while allowing the attachment of Knight's QDC suppressors.

## SR-25 E2 ACC



PRESSURE REDUCTION



CARBON CUTTER BOLT CARRIER



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING

### SR-25 E2 ADVANCED COMBAT CARBINE

P/N: 31243

Barrel	16" 5R Cut Rifled Chrome Lined 1:10 Twist
Caliber	7.62 mm / .308 Win
Weight	8.4 lbs
Length	33.75" (91 cm) to 39.5" (100 cm)

## SR-25 E2 APC

The SR-25E2 APC is the latest evolution of the dual role 7.62 mm NATO Carbine. The APC is equally adept at putting rounds on target past 800 meters or rapid multishot engagement at close range, with a barrel and bolt life to support the training regimen necessary to master these skills. An ambidextrous bolt release, selector, and magazine release offers the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In-2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. A 7.62 QDC Flash Suppressor reduces flash and ground disturbance, and supports knight's QDC Signature Reduction Devices.

## SR-25 E2 APC



PRESSURE REDUCTION



CARBON CUTTER BOLT CARRIER



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING

### SR-25 E2 ADVANCED PRECISION CARBINE

P/N: 31184

Barrel	16" 5R Cut Rifled 1:10 Twist
Caliber	7.62 mm / .308 Win
Weight	9.12 lbs
Length	35.75" (85.7 cm) to 39.5" (100.3 cm)

## SR-25 E2 APR

The SR-25E2 APR is the latest evolution of the precision 7.62mm NATO semiautomatic rifle. With a 20" match barrel, the APR is purpose-built to provide precision fire on point targets past 1,000 meters. An ambidextrous bolt release, selector, and magazine release offer the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves as an aid to long range precision marksmanship. The E2 bolt and gas system provides superior reliability in function whether suppressed or unsuppressed. A 7.62QDC Flash Suppressor reduces flash and ground disturbance, and supports Knight's QDC Signature Reduction Devices.



## SR-25 E2 APR



PRESSURE REDUCTION



CARBON CUTTER BOLT CARRIER



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



UPPER RECEIVER EXTENDING  
FREE-FLOATING BARREL SYSTEM



2 STAGE MATCH TRIGGER




QDC QUICK DISCONNECT  
COUPLING

### SR-25 E2 APR ADVANCED PRECISION RIFLE

P/N: 31198

Barrel	20" (50.8 cm) 5R Cut Rifled 1:10 Twist
Caliber	7.62 mm / .308 Win
Weight	10.5 lbs (4.8 kg)
Length	39.75" (101 cm) to 43.5" (110.5 cm)



Is the central stop for all your Knight's Armament Company merchandise. It consists of fashions for both men and women, and all manner of accessories. Baggage and other nylon goods are also featured here and serve as fashionable arm candy as well as rugged range gear. Be sure to browse through the posters, stickers, or other printed mediums and share some Knight's Armament propaganda. The imperishable quality of Knight's Armament products and the dedication to useful and durable designs has been translated to the Knight's Gear line of products. Experience the difference and show off your Knight's pride with some Knight's Gear today! International Shipping available.



[WWW.KACGEAR.COM](http://WWW.KACGEAR.COM)





Knight's Armament Company was founded as a Research & Development facility more than 30 years ago. Knight's has since evolved into a premier weapons manufacturer offering complete weapon systems, modular accessories and Knight Vision electro-optics. Knight's is best known for the advanced developments in weapon designs and accessories, with R&D, manufacturing, assembly and testing all performed at our facility in Titusville, FL.





## International Traffic in Arms Regulations

A U.S. Department of State License is required for the Export & Import of ALL Knight's Armament Company products under the International Traffic in Arms Regulations.  
(22 CFR, Parts 120-130)

© Knight's Armament Company. Printed and designed in the United States of America. No part of this publication may be reproduced without the prior written consent of Knight's Armament Company. Products are subject to change without notice. Knight's Armament Company is an ISO 9001 Certified Company. The products, product specifications, nomenclature, and availability of all items featured in this document are subject to change at the discretion of Knight's Armament Company. Products may be photographed with optional accessories. Some products are available in other colors.

ITAR STATEMENT: These item(s) are firearm or defense related goods. Export of the goods described herein is strictly prohibited without a valid export license issued by the US Department of State, Directorate of Defense Trade Controls as prescribed in International Traffic in Arms Regulation (ITAR), CODE OF FEDERAL REGULATIONS, Title 22, Parts 120-130.  
CAGE Code: 1S002


701 Columbia Blvd. Titusville, FL 32780 P: 321.607.9900 F: 321.268.1498 [www.KnightArmCo.com](http://www.KnightArmCo.com)







KNIGHTS ARMAMENT COMPANY



## PRODUCT CATALOG



KNIGHTARMCO.COM

