




---

**KNIGHTS ARMAMENT COMPANY**





## TABLE OF CONTENTS

<b>COMPANY BIO</b>	<b>2-3</b>
<b>RAIL ADAPTER SYSTEMS</b>	<b>4-23</b>
<b>CONTROL ACCESSORIES</b>	<b>24-49</b>
<b>CONTROL ACCESSORIES M-LOK / KEYMOD</b>	<b>50-61</b>
<b>RIFLE PARTS / ACCESSORIES</b>	<b>62-73</b>
<b>SIGHTING ACCESSORIES</b>	<b>74-103</b>
<b>SUPPRESSORS</b>	<b>104-119</b>
<b>MUZZLE DEVICES</b>	<b>120-125</b>
<b>RIFLES</b>	<b>126-146</b>
<b>KAC GEAR</b>	<b>147</b>
<b>KNIGHT VISION</b>	<b>148-149</b>

A black and white photograph of a person in a military uniform, wearing a helmet and a camouflage ghillie suit, operating a machine gun. The person is in the foreground, slightly out of focus, looking down at the weapon. The machine gun is in the background, more in focus, and is mounted on a tripod. The background is dark and indistinct.

## COMPANY BIO

Knight's Armament Company was founded by C. Reed Knight Jr. to focus on products which met the unique requirements of U.S. Special Operations Forces. From these humble beginnings, the Knight's family of companies has grown into a premier small arms research, development and production campus. In collaboration with Eugene Stoner, Knight's has developed some of the most sought after modern firearm designs. From Mr. Knight's first developments in signature reduction devices, to the collaborations with Mr. Gene Stoner including the production of the renowned SR-25 7.62mm rifle systems, development of the revolutionary RAS rail system, and the Knight Vision UNS family of electro-optics, Knight's commitment to quality and high manufacturing standards deliver innovative, reliable, and functional weapon systems and accessories for our U.S military, federal agencies and law enforcement entities. The entire Knight's product line is designed, tested, and manufactured in our Titusville, Florida facility to perform consistently and unfailingly for our first responders. Knight's applies these same principles and commitment to quality to our commercial offerings. From firearms and accessories to state of the art electro-optics, Knight's family of products have proven to perform when it matters most.




RIFLE 7.62 MM  
U.S. M110  
KNIGHT'S ARMAMENT CO.  
TITUSVILLE, FL, USA



## RAIL ADAPTER SYSTEMS

One of the products that put Knight's at the forefront of innovation was the Rail Adapter System (RAS), a robust quad-rail handguard that has been installed on over 1 million of our nation's warfighters' weapons. We have since consistently refined our handguard system designs, constantly striving for improved ergonomics, reduced weight, increased stability and added modularity. The URX 4 handguard is an example of Knight's drive to innovate and manufacture intelligent solutions for the modern shooter. The URX 4 is our first negative-space accessory mounting system handguard, and features a patented Integrated Barrel Nut (IBN) attachment method that allows the handguard itself to serve as the barrel nut, eliminating separate components entirely and creating an exceptionally low weight, yet solid, platform.

## RAIL ADAPTER SYSTEMS




### **M4 CARBINE RAS**

**P/N: 98064**

Rail Adapter System Fits M4 Contour Barrel With Standard  
M4/carbine Length Distance Between Barrel Nut/Delta Ring  
And Fixed Front Sight Post Handguard Retainer Ring  
Length: 6.25" Weight: 8.9 oz

NSN: 1005-01-500-4441

## RAIL ADAPTER SYSTEMS




### M5 RIFLE RAS

**P/N: 98065**

Rail Adapter System Fits Standard 20" AR-15/M16  
Distance Between Barrel Nut/Delta Ring And Fixed  
Front Sight Handguard Retainer Ring  
Length: 11.5" Weight: 14.4 oz



## URX II




### URX II MID-LENGTH

**P/N: 20549-3**

Upper Receiver Extending Forend Assembly, 5.56  
Mid-Length, URX II With Integrated Front Sight  
Length: 10.75" Weight: 13.4 oz






## SR-25 URX (RIFLE)

**P/N: 24124-1**

Upper Receiver Extending Forend Assembly, 7.62  
Rifle-Length, URX II With Integrated Front Sight  
Length: 12.5" Weight: 15.2 oz




## URX 3 & 3.1



### URX 3

**P/N: 30210**

Upper Receiver Extending Rail Adapter System  
5.56, (Armorer Install)  
Length: 8.0" Weight: 8.6 oz




### URX 3.1

**P/N: 30590**

Upper Receiver Extending Rail Adapter System  
5.56, (Armorer Install)  
Length: 10.75" Weight: 11.4 oz

## URX 3 & 3.1




### URX 3.1

P/N: 30325

Upper Receiver Extending Rail Adapter System  
5.56, (Armorer Install)  
Length: 13.5" Weight: 13.8 oz

## URX 3 & 3.1



### URX 3.1

P/N: 30259


Upper Receiver Extending Rail Adapter System  
7.62, (Armorer Install)  
Length: 13.5" Weight: 14.2 oz







## URX 4




### URX 4 M-LOK

**P/N: 30738**

Forend Kit, URX 4 5.56  
Length: 8.5" Weight: 8.96 oz

*Keymod URX 4 P/N: 30738*




## URX 4 M-LOK

**P/N: 30740**

Forend Kit, URX 4 5.56  
Length: 10.0" Weight: 10.08 oz

*Keymod URX 4 P/N: 30740*

## URX 4



### URX 4 M-LOK

**P/N: 31207**

Forend Kit, URX 4 5.56  
Length: 10.75" Weight: 10.2 oz

*Keymod URX 4 P/N: 31207*



## URX 4




### URX 4 M-LOK

**P/N: 30736**

Forend Kit, URX 4 5.56  
Length: 13.0" Weight: 12.7 oz

*Keymod URX 4 P/N: 30736*



**URX 4 M-LOK**

**P/N: 30742**

Forend Kit, URX 4 5.56  
Length: 14.5" Weight: 13.8 oz

*Keymod URX 4 P/N: 30742*



## CONTROL ACCESSORIES

Attention to small details that are often overlooked is what helps set Knight's apart from others within the firearm industry. An excellent example of this philosophy is embodied in our line of Control Accessories. Each is designed, tested and manufactured entirely in-house. So whether it's an ambidextrous safety selector, sling mounting solution, or match grade trigger assembly, it has undergone a thorough test and evaluation process before it is brought to market. Every Knight's Armament Control Accessory serves a single underlying purpose: improve the user's ability to efficiently manipulate and effectively utilize their rifle in the most adverse conditions.



## CONTROL ACCESSORIES SLING MOUNT



### **PUSH BUTTON SLING SWIVEL MOUNT**

**P/N: 98720**

*MWS Forend mount with Push-button sling swivel. Includes QD Sling Swivel P/N: 97079. NSN: 1005-01-498-4854*

## CONTROL ACCESSORIES SLING MOUNT



### **FORWARD HAND STOP      P/N: 25460**

*Attaches to MIL-STD 1913 accessory rail with a single flat-head screw.*



## CONTROL ACCESSORIES SLING MOUNT



### **BALL LOCK SLING SWIVEL**

**P/N: 21317**

*Sling connection point that locks into a QD sling socket, preventing the unintentional release of the sling mount.*

## CONTROL ACCESSORIES SLING MOUNT



### **AMBI QD SLING SWIVEL MOUNT**

**P/N: 22051-1**

*Receiver end plate integrates a QD sling swivel socket on either side for ambidextrous use.*

*NSN: 1005-01-601-5594*


## CONTROL ACCESSORIES BIPOD



### **KAC PRECISION BASE FOR HARRIS BIPODS    P/N: 31761**

*Provides the swivel and tracking features of the KAC Precision Bipod (pg 36), but allows a retrofit of the Harris-S Series type bipod leg assembly.*

## CONTROL ACCESSORIES BIPOD



### **QD BIPOD MOUNT SWIVEL/PAN**

**P/N: 30525**

*Quick detach bipod mount that fits any MIL-STD-1913 rail.  
Features limited horizontal pan / yaw movement. Compatible  
with Harris S-Series Bipods only.*

## CONTROL ACCESSORIES BIPOD



### **QD BIPOD MOUNT SWIVEL**

**P/N: 30526**

*Quick detach bipod mount that fits any MIL-STD-1913 rail.  
Allows limited swivel movement along the barrel's axis.  
Compatible with Harris S-Series Bipods only.*



## CONTROL ACCESSORIES BIPOD



### **MWS BIPOD ADAPTER**

**P/N: 98060**

*Designed for lower rail. Includes QD Stud 97030.*

*NSN: 1005-01-468-0350*



## CONTROL ACCESSORIES BIPOD



### **KAC PRECISION BIPOD**

**P/N: 31693**

*Highly adjustable bipod with swivel and track capability. Legs can be independently deployed to 6 positions: 0, 45, 67.5, 90, 135, and 180 degrees. With the legs at 90 degrees on a flat surface it provides 6.875 to 9.25 inches of height from the bottom rail in 5 easily selectable increments. Unobtrusive, easily manipulated lever enables full yaw release and lock. Tension screw adjusts yaw drag, and may be placed on either side of base or removed completely. Single push-button retention feature allows single-handed mounting and dismounting.*



## CONTROL ACCESSORIES 1913



## CONTROL ACCESSORIES 1913

P/N	NAME	NSN #
97098-TAU	Taupe Forward Pistol Grip	NSN: 1005-01-416-1091
97098-GRE	Green Forward Pistol Grip	
97098	Black Forward Pistol Grip	

## CONTROL ACCESSORIES 1913



## CONTROL ACCESSORIES 1913

P/N	NAME	NSN #
<b>95047</b>	<b>11 Rib Panel Black</b>	<b>NSN: 1005-01-553-8053</b>
<b>95047-GRN</b>	<b>11 Rib Panel Green</b>	
<b>95047-TAN</b>	<b>11 Rib Panel Tan</b>	
<b>95047-TAU</b>	<b>11 Rib Panel Taupe</b>	
<b>97169</b>	<b>9 Rib Panel Black</b>	<b>N/A</b>
<b>97168</b>	<b>6 Rib Panel Black</b>	<b>N/A</b>
<b>97167</b>	<b>5 Rib Panel Black</b>	<b>NSN: 1005-01-453-4221</b>
<b>97166</b>	<b>4 Rib Panel Black</b>	<b>NSN: 1005-01-488-5573</b>
<b>97164</b>	<b>2 Rib Panel Black</b>	<b>N/A</b>





## CONTROL ACCESSORIES 1913



### **THUMB REST**

**P/N: 30537**

*Rubberized Thumb Rest with elevated stop and textured grip. Designed for MIL-STD-1913 top rail.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 PANEL KIT**

**P/N: 30408**

*1 - slim 2 hole panel, 2 - standard 2 hole panels, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 LONG RAIL PANEL KIT      P/N: 30410**

*2 - standard 3 hole panels, 1 - slim 2 hole panel, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 DELUXE RAIL PANEL KIT      P/N: 30410**

*1 - single hole hand stop with long installation screw, 3 - slim 2 hole panels, 2 - standard 2 hole panels, 2 standard 3 hole panels, 1 standard 2 hole hand stop panel, 3 - 8 rib rail sections, 10 installation screws, 5 - square backing nuts.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **8-RIB RAIL SECTION KIT**

**P/N: 30412**

*MIL-STD-1913 rail section. Polymer construction,  
P/N: 30412-ALU constructed of aluminum.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 HANDSTOP**

**P/N: 30411**

*Attaches to URX 3 and 3.1 handguard systems,  
Includes attachment screw and retention nut.*

## CONTROL ACCESSORIES URX 3 & 3.1



### **URX 3 & 3.1 QD SLING SWIVEL MOUNT KIT P/N: 30491**

*Allows mounting of Quick Detach sling swivel at a 45 degree angle along the length of any MIL-STD 1913 rail. Includes push button QD sling swivel.*





## CONTROL ACCESSORIES M-LOK / KEYMOD

In the pursuit to embody cutting edge solutions for the shooting community, Knight's is proud to offer a full selection of M-LOK™ and Keymod compatible accessories. These negative-space mounting systems have revolutionized the manner in which tactical accessories are attached to a rifle's handguard by offering a true "plug and play" interface. In addition to the universal nature of the systems, there are significant reductions in both weight and bulk over a traditional Picatinny "quad-rail" system. Knight's lineup includes many of the most sought after rail-mounted accessories, including numerous lengths of MIL-STD 1913 Picatinny Rail, offset iron sights, sling mounts, rail panel kits and more. Each of Knight's M-LOK™ and Keymod accessories were designed for seamless functionality with the new URX 4 handguard, yet each is also fully compatible with other rifle handguards that have a "to-spec" interface.

## CONTROL ACCESSORIES M-LOK / KEYMOD



P/N: 31912



P/N: 30714



P/N: 30717




P/N: 30712



P/N: 30710

## CONTROL ACCESSORIES M-LOK / KEYMOD

P/N	NAME	LENGTH
<b>31912</b>	<b>M-LOK 5-Slot Rail</b>	<b>3"</b>
<b>30714</b>	<b>KEYMOD 5-Slot Rail</b>	<b>3"</b>
<b>30717</b>	<b>KEYMOD 7-Slot Rail</b>	<b>3.7"</b>
<b>30712</b>	<b>KEYMOD 9-Slot Rail</b>	<b>4.5"</b>
<b>30710</b>	<b>KEYMOD Full Side Rail</b>	<b>12"</b>



## CONTROL ACCESSORIES M-LOK / KEYMOD



### KEYMOD FLAT PANEL KIT

**P/N: 31190**

*The Knight's Keymod Flat Panel Kit includes a set of seven polymer rail panels. Each textured panel snaps securely to any bare section of Keymod equipped rail, providing a more positive gripping surface and also insulating the support hand from barrel heat. While designed for the URX 4 rail, these panels will also fit any other rifle handguard that has a Keymod interface.*

## CONTROL ACCESSORIES M-LOK / KEYMOD



### **KEYMOD HANDSTOP**

**P/N: 30795**

*Textured handstop provides a reference point for the support hand that helps the shooter to acquire a consistent grip on the rifle. Lightweight polymer construction.*

## CONTROL ACCESSORIES M-LOK / KEYMOD



### **KEYMOD BARRIER STOP**

**P/N: 30746**

*Features an aggressively textured contact plate that bites into a barrier's surface to create a more stable firing position. Aluminum construction.*



## CONTROL ACCESSORIES M-LOK / KEYMOD



### **M-LOK SLING MOUNT**

**P/N: 32096**

*The KAC M-LOK Sling Mount attaches quickly and securely to an M-LOK interface. The sling mount is compatible with push button sling swivels (sold separately).*

*Keymod QD Sling Mount P/N: 30708*

## CONTROL ACCESSORIES M-LOK / KEYMOD



### **M-LOK BARRIER STOP**

**P/N: 31916**

*The KAC M-LOK Skeletonized Barrier Stop eliminates all unnecessary weight while still being robust enough for hard-use. The serrated front edge will bite into most surfaces at any angle of contact. Steel construction.*

*Keymod Barrier Stop - Skeletonized P/N: 31233*



## CONTROL ACCESSORIES M-LOK / KEYMOD



### **M-LOK SCOUT LIGHT MOUNT    P/N: 31906**

*The KAC M-LOK mount for SureFire M300 and M600 Scout Lights is a lightweight, direct-attach mounting platform that replaces the OEM mount. The mount can be positioned to place the light close to the handguard at any position from 1:30 to 11:30 in relation to the top 12:00 rail.*

*Aluminum construction.*

*Keymod Scout Light Mount P/N: 31229*

## RIFLE PARTS / ACCESSORIES



### **5.56 MM AMBI CHARGING HANDLE**

**P/N: 31177**

*Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.*

## RIFLE PARTS / ACCESSORIES



### **7.62 MM AMBI CHARGING HANDLE**

**P/N: 30538**

*Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.*

## RIFLE PARTS / ACCESSORIES



### **SEMI-AUTO AMBI SAFETY SELECTOR**

**P/N: 25776**

*Ambidextrous Safety Selector available with a beveled selector or standalone headpiece for optimal operator customization.*

## RIFLE PARTS / ACCESSORIES



### **SEMI-AUTO 2 STAGE MATCH DROP-IN TRIGGER    P/N: 25362**

*2-Stage, Match 4.5 lbs pull. Weight 2.4 oz*

*NSN:1005-01-592-0663*



## RIFLE PARTS / ACCESSORIES



### **AMBIDEXTROUS MAGAZINE RELEASE      P/N: 20470-1**

*Left-side magazine release for AR pattern rifles. Oversized release button. Weight: 3 oz.*

## RIFLE PARTS / ACCESSORIES




### **LOW PROFILE GAS BLOCK**

**P/N: 99204-1**

*Gas block designed to fit 0.75" barrels, compatible with all generations of URX handguards. Press fit.*

## RIFLE PARTS / ACCESSORIES



**SR-25 FIELD REPAIR KIT**

**P/N: 98076-1**

**SR-25 E2 FIELD REPAIR KIT**


**P/N: 31300**

*Firing Pin, Extractor, Bolt Rings, etc. for SR-25*

*Weight 1.2 oz*

*NSN :1005-01-562-9451 (98076-1)*

## RIFLE PARTS / ACCESSORIES



### **SR-15 FIELD REPAIR KIT**

**P/N: 23339-1**

*Firing Pin, Extractor, Bolt Rings, etc. for SR-15*  
*Weight 1.2 oz..*

## RIFLE PARTS / ACCESSORIES



### **SR-25 10 ROUND MAGAZINE**

**P/N: 98037-1**

*Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.*

*NSN: 1005-01-473-1405*

## RIFLE PARTS / ACCESSORIES



### **SR-25 20 ROUND MAGAZINE**

**P/N: 98036-1**

*Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.*

*NSN: 1005-01-473-1403*



RIFLE 7.62 MM  
SR 25  
KNIGHT'S MANUFACTURING CO.  
TITUSVILLE, FL. USA

## RIFLE PARTS / ACCESSORIES



### **SR-25 BORE ROD GUIDE**

**P/N: 21281**

*For Dewey Coated rods of .256" dia. Fits upper receiver for  
SR-25 Length 10.125", Weight 3 oz.  
NSN :1005-01-503-0024*





## SIGHTING ACCESSORIES

Knight's line of Folding Backup Iron Sights have fast become the standard by which all others are judged. Knight's Micro Iron Sights are the choice of the United States Army, Marine Corps and numerous law enforcement agencies worldwide for a reason. They are built to exceedingly strict tolerances, maintain zero under adverse conditions and, when folded, have one of the lowest profile top-rail footprints in the industry. Knight's 45 Degree Micro Offset Sights are likewise built to the same standards of excellence and, when coupled with a high magnification day optic, they allow the shooter to engage both close and long range targets with great speed and precision.

## SIGHTING ACCESSORIES



### **300M REAR FLIP SIGHT**

**P/N: 97082**

*300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Removable peep insert to expose 5mm diameter "ghost ring" aperture.*

*NSN: 1005-01-449-6306*

## SIGHTING ACCESSORIES



### **600M REAR FLIP SIGHT**

**P/N: 98474**

*600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. NSN: 1005-01-449-6868*

## SIGHTING ACCESSORIES



### **MICRO 300M FLIP UP REAR SIGHT**

**P/N: 25475**

*Micro 300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"*

## SIGHTING ACCESSORIES



### **MICRO 600M FLIP UP REAR SIGHT**

**P/N: 25650**

*Micro 600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"*  
*NSN: 1005-01-581-5324*

## SIGHTING ACCESSORIES



### **MICRO FLIP UP FRONT SIGHT**

**P/N: 25654**

*Micro Front Flip Sight which mounts to any MIL-STD-1913 rail system. Tool-less adjustments.*

*NSN: 1005-01-598-4529*

## SIGHTING ACCESSORIES



### **FOLDING M4 FRONT SIGHT**

**P/N: 99051**

*Originally designed for the US military's SOPMOD rifle program, the Knight's M4 Folding Front Sight is a low profile backup sighting solution that is designed to be attached to the top rail of a rifle's handguard. NSN: 1005-01-473-1410*





## SIGHTING ACCESSORIES



### **45° OFFSET FOLDING SIGHT KIT**

**P/N: 30079**

*The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly.*

## SIGHTING ACCESSORIES




### **45° OFFSET FOLDING SIGHT KIT**

**P/N: 30076**

*The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an windage adjustable 300 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly.*



## SIGHTING ACCESSORIES



### **45° OFFSET CLAMP MOUNT FOLDING SIGHT KIT**

**P/N: 31593**

*The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly. Improved mounting base.*

## SIGHTING ACCESSORIES



### **45° OFFSET CLAMP MOUNT REAR FOLDING SIGHT KIT P/N: 30878**

*The sights attach securely to the 12 o'clock rail position. Includes an elevation and windage adjustable 200-600 Meter Micro Rear Sight. Improved mounting base.*

## SIGHTING ACCESSORIES




### **M-LOK MICRO FRONT SIGHT**

**P/N: 31896**

*The KAC M-LOK Offset Flip Up Front Micro Sight, with finger-adjustable sight post, is designed specifically for attachment to the M-LOK URX 4 rail at the 45 degree position on the right or left hand side. Intended to be used in conjunction with KAC Rail Mounted Offset Folding Rear Sight (P/N 30878). This sight is compatible with other handguards that feature an M-LOK interface at 45 degrees from the top rail.*

## SIGHTING ACCESSORIES



### **45° OFFSET CLAMP MOUNT FRONT FOLDING SIGHT KIT    P/N: 31592**

*The sights attach securely to the 12 o'clock rail position. Includes an elevation adjustable Micro Front Sight. Improved mounting base.*



## SIGHTING ACCESSORIES



### **KEYMOD OFFSET FOLDING FRONT SIGHT**

**P/N: 30757**

*Fits any URX 4 and other Keymod-ready rail systems. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Can adjust without tools.*

## SIGHTING ACCESSORIES



### **KEYMOD OFFSET FOLDING 300M REAR SIGHT**

**P/N: 30758**

*Fits any URX 4 and other Keymod-ready rail systems. Allows shooters to place the sights on either side of the weapon at 45° or any angle that the Keymod configuration will allow. Removable peep insert to expose 5mm diameter “ghost ring” aperture.*

## SIGHTING ACCESSORIES




### **KEYMOD OFFSET SIGHT KIT W/300M REAR SIGHT**

**P/N: 30759**

*Includes a Flip Up Front Micro Sight with finger-adjustable sight post and a 300 Meter Flip Up Rear Micro Sight. Designed specifically for attachment to the URX 4 rail at the 45 degree position on either the right or left hand side, this sight kit is also compatible with any other rifle handguard that has a Keymod interface.*



## SIGHTING ACCESSORIES



### **RAILED HIGH RISER**

**P/N: 30657**

*Quick detach, elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, high rise rail segment to accommodate greater elevations of any rail-attachable accessories. 1.25" Height*

## SIGHTING ACCESSORIES



### **RAILED LOW RISER**

**P/N: 30779**

*Quick detach, slightly elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, low rise rail segment to accommodate minor elevations of any rail-attachable accessories. 0.75" Height*



## SIGHTING ACCESSORIES



### **AIMPOINT HIGH NVG MOUNT**

**P/N: 30102**

*High-profile riser block for an Aimpoint T1 Micro. Attaches to any MIL-STD-1913 rail via a quick-detach throw lever.*



## SIGHTING ACCESSORIES



### **45° OFFSET AIMPOINT MOUNT**

**P/N: 30279**

*Offset Aimpoint Micro Mount is intended to be attached to either the 3 o'clock or 9 o'clock rail position, placing the red dot to the side of a primary optic at a 45 degree angle.*

## SIGHTING ACCESSORIES



### **34MM & 30MM SCOPE MOUNT**

**P/N: 24755; 25284**

*30 mm & 34 mm Scope Mount for day optics. Fits any MIL-STD-1913 rail system. 1.5" ring height. Available in Black and Taupe.*

## SIGHTING ACCESSORIES




### **34MM NVG MOUNT**

**P/N: 30194**

*High Profile 34 mm Scope Mount. Fits any MIL-STD-1913 rail system. One-piece construction, forward optic mounting for extended eye relief. 2" ring height.*

## SIGHTING ACCESSORIES



### **RAIL MOUNT ANTI-CANT DEVICE**

**P/N: 30855**

*Bubble level reference to ensure correct orientation of rifle for increased consistency. Compact enough to fit under most optics with no side protrusion/snag hazard.*

## SIGHTING ACCESSORIES



### **34MM & 30MM SCOPE RING**

**P/N: 30108; 20654**

*Offset Scope Ring Mount attaches an Aimpoint Micro optic to a variable power scope tube for use in close range engagements. Kit includes 2 Knight's Aimpoint Micro Battery Cap Assemblies for on board storage of up to 4 additional batteries. Available in 34mm and 30mm sizes.*

## SIGHTING ACCESSORIES



### **45-DEGREE OFFSET RAIL MOUNT KIT**

**P/N: 30480**

*Fits any MIL-STD-1913 rail. Rail segment which allows any rail-attachable accessory to 45°.*



## SUPPRESSORS

Knight's has been designing, testing, and manufacturing Signature Reduction Devices for over 30 years. From humble beginnings using hand calculations coupled with extensive testing, KAC's suppressor research and designs have progressed with the pace of technology. The use of finite element analysis programs, high speed video, thermal analysis, and cutting-edge sound pressure recording devices and protocols in design development have helped Knight's maintain its legacy of hard-use duty-grade Signature Reduction Devices. The resulting innovative sound suppression products like the quick detach NT-4, the reflex-style Mk11 and M110 suppressors, and the new QDC (Quick Disconnect Coupler) family, have led to KAC's standing as the largest supplier of sound suppressors to the U.S. government. One of our primary goals at Knight's is to drive suppressor technology forward. Each Signature Reduction product we manufacture serves as a testament to this effort, and the benefits are passed on to every one of our customers.



## SUPPRESSORS 5.56 & .45




### 5.56mm QDSS NT4 (BLACK) KIT

PN: 96062-1

Connects to M4QD and Triple Tap Compensator.  
NT4 Gate Latch Connector.  
Length: 6.5" Weight: 22 oz

NSN: 1005-01-437-0324

## SUPPRESSORS 5.56 & .45




### **5.56mm QDSS NT4 (FLAT DARK EARTH) KIT** PN: 96062-1

Connects to M4QD and Triple Tap Compensator.  
NT4 Gate Latch Connector.  
Length: 6.5" Weight: 22 oz

NSN: 1005-01-568-4844

## SUPPRESSORS 5.56 & .45



### 5.56QDC SUPPRESSOR

**PN: 30123**

Connects to all 5.56 QDC Muzzle Devices. QDC  
Connection

Length: 6.5" Weight: 16.7 oz

## SUPPRESSORS 5.56 & .45



### 5.56QDC/CQB SUPPRESSOR

**PN: 30192**

Connects to all 5.56 QDC Muzzle Devices. QDC  
Connection  
Length: 5" Weight: 13.2 oz

## SUPPRESSORS 5.56 & .45



### **Mk23 .45 CALIBER SUPPRESSOR**

**PN: 94368**

Threaded Connection for Mk23 Pistols  
Length: 7.5" Weight: 15.4 oz

NSN: 1005-01-435-1917


## SUPPRESSORS 5.56 & .45



### **H&K USP-T .45 CALIBER SUPPRESSOR**

**PN: 97225**

Threaded Connection for USP Pistols  
Length: 7.5" Weight: 15.4 oz









## SUPPRESSORS 7.62 & .300



### 7.62QDC SUPPRESSOR 7.62/.300

**PN: 30178**

Connects to 7.62 MAMS and 7.62 Flash Hider.

QDC Connector

Length: 7.78" Weight: 19.6 oz

NSN: 1005-01-623-8914

## SUPPRESSORS 7.62 & .300



### **7.62QDC/CQB SUPPRESSOR 7.62/.300** **PN: 30179**

Connects to 7.62 MAMS and 7.62 Flash Hider.

QDC Connector

Length: 6.43" Weight: 14.1 oz

NSN: 1005-01-601-1822

## SUPPRESSORS 7.62 & .300



### **M110 SUPPRESSOR 7.62/.300**

**PN: 24611**

Connects to SR-25 gas block. For rifles with M110 flash hider only. Gate Latch Connector  
Length: 14" Weight: 32.0 oz

NSN: 1005-01-542-4487

## SUPPRESSORS 7.62 & .300



### **SR-25 RIFLE SUPPRESSOR 7.62/.300**

**PN: 98440**

Gate Latch Connector attaches to SR-25 gas block. For rifles without muzzle device such as the Mk 11 Mod 0 and SR-25 ER.

Length: 12.25" Weight: 29.9 oz

NSN: 1005-01-474-0197









## MUZZLE DEVICES

Knight's muzzle devices serve as an example of our tradition of delivering pragmatic solutions and ingenious designs. Muzzle devices and sound suppressors are developed simultaneously, creating a symbiotic relationship between the two components. The result is a complete package that is greater than the sum of its parts. Our newest line of QDC (Quick Disconnect Coupler) flash hidiers and compensators are a fine example, with each muzzle device acting as a quick detach mounting platform for a companion KAC QDC sound suppressor. As stand-alone products, Knight's entire catalog of muzzle devices are specifically engineered to reduce felt recoil, diffuse blast, and/or minimize a weapon's flash signature. From the MAMS (Multi-Axis Muzzle Stability) brake, to our latest 3-prong flash hider, the interoperability, superiority, and practicality of these muzzle devices is evident in use.



## MUZZLE DEVICES 5.56



P/N: 32316



P/N: 93048  
NSN: 1005-01-460-3249



P/N: 30555



P/N: 30168

## MUZZLE DEVICES 5.56

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
32316	NT4 MAMS	Flash Hiding Compensator Compatible with QDSS-NT4 Suppressor.	5.56	2.10"	2.3 oz	1/2" x 28
93048	M4QD FLASH HIDER KIT	Flash Hider For Connecting NT4. NT4 Gate Latch Connector.	5.56	1.88"	2.4 oz	1/2" x 28
30555	556QDC FLASH ELIMINATOR KIT	3-Prong Flash Hider for QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.15"	2.3 oz	1/2" x 28
30168	556MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.20"	2.3 oz	1/2" x 28

*All Kits Include 7-Piece Shim Set & Rocksett Adhesive*

## MUZZLE DEVICES 7.62



P/N: 25877



P/N: 30191



P/N: 30696



P/N: 30598



P/N: 30169

## MUZZLE DEVICES 7.62

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
25877	M110 FLASH HIDER KIT	M110 Style Flash Hider. Supports M110 Suppressor	7.62	2.53"	3.4 oz	3/4" x 24
30191	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded for all Knight's SR-25.	7.62	3.06"	5.6 oz	3/4" x 24
30696	762QDC FLASH HIDER KIT	Flash Hider For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.06"	5.9 oz	5/8" x 24
30598	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's .300 And Non-Knight's 7.62.	7.62 .300	3.26"	5.1 oz	5/8" x 24
30169	762MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 7.62 QDC Compatible. Threaded For Knight's SR-25.	7.62	3.26"	4.8 oz	3/4" x 24

*All Kits Include 7-Piece Shim Set & Rocksett Adhesive*

## E. M. STONER LEGACY



In the early 1980s, a citrus farmer with a passion for firearms and a firearms designer with a passion for invention struck up an unforeseen friendship when C. Reed Knight, Jr. contacted Eugene Stoner regarding the purchase of Stoner 63 parts. That initial conversation led to a lifetime of friendship and mentorship. Mr. Stoner designed the semi-automatic, 7.62x51mm, AR-10 rifle in the late 50's. The AR-10 was scaled down for 5.56x45mm ammunition and was sold to Colt as the "AR-15". Colt later produced the design as the adopted M16. The current success of the AR-15 rifle was unpredicted by anyone at the time. Mr. Stoner still held a desire to create another 7.62mm rifle, with a design intent to utilize as many parts from the AR-15 as possible, to take advantage of the now widely available and readily supportable system. The "SR-25" name came from combining the "10" of the AR-10 and the "15" of the AR-15, along with the "SR" designation for "Stoner Rifle". The SR-25 would eventually be adopted by every branch of the US military, countless Government entities, and various friendly foreign SOF Units as one of the first purpose built semi-automatic sniper rifles, and the first to prove to be a capable performer in harsh environments. Mr. Stoner worked with Mr. Knight up until the time of his passing, leaving behind a work ethic and legacy that can be felt throughout the firearms industry in general and Knight's Armament Company in particular. Today, Mr. Stoner is renowned as one of the most prolific and innovative firearms designers of our time.



*Eugene M. Stoner*



## SR-15 E3 MOD 2

The Knight's SR-15 Mod 2 line represents the pinnacle of firearms based upon the Eugene Stoner designed operating system. The Mod 2 update introduces several notable features to the SR-15 IWS line. The chrome lined 5.56mm NATO barrel features a proprietary mid-length gas system that increases reliability and durability while also reducing felt recoil. The Mod 2 gas system minimizes the chances of gas leakage and ensures more consistent operation in harsh conditions. The unique gas block is secured with a locking ring rather than taper pins or set screws, which increases barrel rigidity and eliminates the need to custom fit the gas block to the barrel and will not loosen with extended use. The URX 4 handguard features negative-space accessory mounting provisions for ancillary device attachments, increased cooling characteristics and reduced weight and width compared to standard M1913 rail attachment methods. Standard SR-15 features include our improved E3 round-lug bolt design which both enhances function and extends bolt life beyond the industry standard and ambidextrous controls including the bolt release, safety selector, and magazine release. A drop-in two-stage trigger serves double duty as an aid to precision marksmanship while enabling surgical speed shooting at close range. The end-plate features QD sling swivel mounting points on both sides of the receiver. Also included are a set of folding 200m-600m micro sights. The SR-15 Mod 2 is a state of the art carbine right out of the box.







## SR-15 E3 CQB MOD 2

The SR-15E3 CQB Mod 2's 11.5" chrome lined, 5.56mm NATO barrel is manufactured for military grade durability, and is free-floated inside a 10.75" URX4 handguard. An improved E3 round-lug bolt design both enhances function and increases bolt life far beyond the industry standard. The ambidextrous bolt release, selector lever, and magazine release offers left-handed users the ergonomic advantages inherent to AR15-based controls. The drop-in two-stage trigger serves double duty as an aid to precision marksmanship while enabling surgical speed shooting at close range. The 5.56mm 3-Prong Flash Eliminator interferes with propellant gas combustion forward of the muzzle to significantly reduce flash signature, will not ring upon firing or when struck, and is compatible with the Knight's line of 5.56mm QDC Signature Reduction Devices.

## SR-15 E3 CQB MOD 2



### SR-15 E3 CQB MOD 2 M-LOK

P/N: 31952

Barrel	11.5"(29 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.25 lbs (2.83 kg)
Length	29"(73.6 cm) to 32"(81.3 cm)

31269 SR-15 E3 CQB MOD 2 Keymod  
33010 Lower Receiver Kit, SR-15 SBR  
31963 Upper Receiver Kit, CQB, M-LOK  
31294 Upper Receiver Kit, CQB, Keymod



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING  
SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING



## SR-15 CARBINE MOD 2



### SR-15 E3 CARBINE MOD 2 M-LOK

P/N: 31946

Barrel	14.5"(37 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.4 lbs (2.9 kg)
Length	32"(81 cm) to 35"(89 cm)

31274 SR-15 E3 Carbine MOD 2 Keymod  
33010 Lower Receiver Kit, SR-15 SBR  
31949 Upper Receiver Kit, Carbine, M-LOK  
31296 Upper Receiver Kit, Carbine, Keymod



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING  
SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING



## SR-15 E3 MOD 2



### SR-15 E3 MOD 2 M-LOK

P/N: 31900

Barrel	16"(40 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.55 lbs (2.97 kg)
Length	33.5"(85.09 cm) to 36.5"(92.7 cm)

31030 SR-15 E3 MOD 2 Keymod  
25780 Lower Receiver Kit, SR-15  
31962 Upper Receiver Kit, M-LOK  
31296 Upper Receiver Kit, Keymod



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING  
SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING



## SR-15 LPR MOD 2

The Knight's SR-15 Light Precision Rifle Mod 2 is the answer for 5.56mm shooters who want a lightweight match weapon system. The LPR utilizes an 18" Match Grade Stainless Steel barrel with a Custom Match chamber and 556QDC Flash Eliminator. Additional features include a URX 4 handguard with negative-space accessory mounting provisions, Mod 2 Gas System, standard ambidextrous lower receiver, 200m-600m adjustable micro sights, and six position SOPMOD stock. The SR-15 LPR Mod 2 is equally suited as a capable competition system or precision perimeter weapon for the law enforcement sector.

## SR-15 LPR MOD 2



### SR-15 E3 LIGHT PRECISION RIFLE MOD 2 M-LOK

P/N: 31973

Barrel	18"(45 cm) 1:7 Twist, Stainless Steel
Caliber	5.56 mm NATO
Weight	7.4 lbs (3.35 kg)
Length	35.25"(89.53 cm) to 38.5"(97.8 cm)

31733 SR-15 E3 Light Precision Rifle MOD 2 Keymod  
25780 Lower Receiver Kit, SR-15  
32309 Upper Receiver Kit, LPR, M-LOK  
32317 Upper Receiver Kit, LPR, Keymod



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING

## SR-25 E2 ACC

The SR-25 E2 ACC is the latest evolution of the lightweight 7.62mm NATO Carbine. The ACC provides 7.62mm NATO performance in a package of comparable weight and size to common lower caliber platforms. Barrel and bolt life well exceed the expectation of a lightweight carbine. An ambidextrous bolt release, selector, and magazine release offer the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. The flash hider reduces ground disturbance and flash, while allowing the attachment of Knight's QDC suppressors.

## SR-25 E2 ACC



### SR-25 E2 ADVANCED COMBAT CARBINE M-LOK

P/N: 31893

Barrel	16"(40 cm) 5R Cut, Chrome Lined 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	8.4 lbs (3.8 kg)
Length	35.75"(91 cm) to 39.5"(100 cm)

31243 SR-25 E2 Advanced Combat Carbine Keymod



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTILUG IMPROVED E2 BOLT



M-LOK ACCESSORY MOUNTING  
SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT  
COUPLING

## SR-25 E2 APC

The SR-25E2 APC is the latest evolution of the dual role 7.62 mm NATO Carbine. The APC is equally adept at putting rounds on target past 800 meters or rapid multishot engagement at close range, with a barrel and bolt life to support the training regimen necessary to master these skills. An ambidextrous bolt release, selector, and magazine release offers the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In-2-Stage Trigger serves double duty as an aid to long range precision marksmanship while enabling surgical speed shooting at close range. A 7.62 QDC Flash Suppressor reduces flash and ground disturbance, and supports knight's QDC Signature Reduction Devices.

## SR-25 E2 APC



### SR-25 E2 ADVANCED PRECISION CARBINE M-LOK P/N: 31955

Barrel	16"(40 cm) 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	9 lbs (4.1 kg)
Length	35.75"(91 cm) to 39.5"(100 cm)

31184 SR-25 Advanced Precision Carbine Keymod



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTILUG IMPROVED E2 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING

## SR-25 E2 APR

The SR-25E2 APR is the latest evolution of the precision 7.62mm NATO semiautomatic rifle. With a 20" match barrel, the APR is purpose-built to provide precision fire on point targets past 1,000 meters. An ambidextrous bolt release, selector, and magazine release offer the left-handed user the ergonomic advantages inherent to AR15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves as an aid to long range precision marksmanship. The E2 bolt and gas system provides superior reliability in function whether suppressed or unsuppressed. A 7.62QDC Flash Suppressor reduces flash and ground disturbance, and supports Knight's QDC Signature Reduction Devices.

## SR-25 E2 APR



### SR-25 E2 APR ADVANCED PRECISION RIFLE

P/N: 31961

Barrel	20"(51 cm) 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	10.5 lbs (4.8 kg)
Length	39.75"(101 cm) to 43.5"(110.5 cm)

31198 SR-25 E2 APR Advanced Precision Rifle Keymod



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTILUG IMPROVED E2 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



## SR-30



### SR-30 M-LOK

P/N: 31970

Barrel	9.5"(24 cm) 1:7 Twist, Chrome Lined
Caliber	.300 Blackout (7.62 x 35 mm)
Weight	6.2 lbs (2.81 kg)
Length	27.5"(69.2 cm) to 30.75" (70.47 cm)

31759 SR-30 Keymod

33009 Lower Receiver Kit, SR-30 SBR



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK ACCESSORY MOUNTING SYSTEM




2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



Is the central stop for all your Knight's Armament Company merchandise. It consists of fashions for both men and women, and all manner of accessories. Baggage and other nylon goods are also featured here and serve as fashionable arm candy as well as rugged range gear. Be sure to browse through the posters, stickers, or other printed mediums and share some Knight's Armament propaganda. The imperishable quality of Knight's Armament products and the dedication to useful and durable designs has been translated to the Knight's Gear line of products. Experience the difference and show off your Knight's pride with some Knight's Gear today! International Shipping available.



[WWW.KACGEAR.COM](http://WWW.KACGEAR.COM)



Knight's Armament Company was founded as a Research & Development facility more than 30 years ago. Knight's has since evolved into a premier weapons manufacturer offering complete weapon systems, modular accessories and Knight Vision electro-optics. Knight's is best known for the advanced developments in weapon designs and accessories, with R&D, manufacturing, assembly and testing all performed at our facility in Titusville, FL.






## International Traffic in Arms Regulations


A U.S. Department of State License is required for the Export & Import of ALL Knight's Armament Company products under the International Traffic in Arms Regulations.  
(22 CFR, Parts 120-130)

© Knight's Armament Company. Printed and designed in the United States of America. No part of this publication may be reproduced without the prior written consent of Knight's Armament Company. Products are subject to change without notice. Knight's Armament Company is an ISO 9001 Certified Company. The products, product specifications, nomenclature, and availability of all items featured in this document are subject to change at the discretion of Knight's Armament Company. Products may be photographed with optional accessories. Some products are available in other colors.


ITAR STATEMENT: These item(s) are firearm or defense related goods. Export of the goods described herein is strictly prohibited without a valid export license issued by the US Department of State, Directorate of Defense Trade Controls as prescribed in International Traffic in Arms Regulation (ITAR), CODE OF FEDERAL REGULATIONS, Title 22, Parts 120-130.  
CAGE Code: 1S002

701 Columbia Blvd. Titusville, FL 32780 P: 321.607.9900 F: 321.268.1498 [www.KnightArmCo.com](http://www.KnightArmCo.com)






## KNIGHTS ARMAMENT COMPANY



## PRODUCT CATALOG



KNIGHTARMCO.COM

