


KAC

KNIGHTS ARMAMENT COMPANY

KNIGHTS ARMAMENT COMPANY
2018 PRODUCT CATALOG





COMPANY BIO

Knight's Armament Company was originally founded by Mr. C. Reed Knight Jr. in order to focus on products that would meet the unique requirements of the U. S. Special Operations Forces. In collaboration with Mr. Eugene Stoner, which led to the production of the renowned SR-25 rifle, Knight's developed some of the most sought after modern firearm designs ever produced. From the first developments in signature reduction devices, to the revolutionary RAS rail system and the Knight Vision UNS family of electro-optics, Knight's commitment to quality and high manufacturing standards deliver innovative, reliable and functional weapon systems and accessories for our U.S. military, federal agencies and law enforcement entities. The entire Knight's product line is designed, tested and manufactured in our Titusville, Florida facility in order to perform consistently and unfailingly for our first responders. In addition, Knight's applies the same principles and commitment to quality to our commercial product line. From firearms and accessories to state of the art electro-optics, rely on the Knight's family of products when it matters most.



KNIGHTARMCO.COM

RIFLE 7.62 MM
SR 25
KNIGHT'S MANUFACTURING CO.
TITUSVILLE, FL USA

SR-25



SR-25 SERIES

The SR-25 E2 series of rifles is the end result of decades of improvement and refinement to the AR-10 type rifle. While each model is oriented to an application, they all share high reliability, long critical part life and intuitive ambidextrous controls. Tested to and validated by the harshest combat conditions, they prove to perform as required. Barrel and bolt life are significantly increased, reducing the need for part replacement and extending maintenance cycles. An ambidextrous bolt release, selector and magazine release offer the left-handed user

the ergonomic advantages inherent to AR-15 based controls, as well as giving right-handed users alternate methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves double duty as an aid to long range precision marksmanship and also enabling surgical speed while shooting at close range. The trigger is not susceptible to change due to fouling or wear. A 7.62QDC Flash Suppressor reduces flash and ground disturbance and also supports KAC QDC Signature Reduction Devices, right out of the box.



KNIGHTARVCO.COM

FIRE
SAFE

RIFLE 7.62 MM
SR 25
KNIGHT'S MANUFACTURING CO.
TITUSVILLE, FL. USA

MFC
PUMP ACTION

LEUPOLD MARK 8
1-6X32

SR-25 E2 ACC



SR-25 E2 ADVANCED COMBAT CARBINE M-LOK

P/N: 31893

Barrel	16"(40 cm), Lightweight, Chrome Lined, 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	8.4 lbs (3.8 kg)
Length	35.75"(91 cm) to 39.5"(100 cm)



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



SR-25 E2 APC



SR-25 E2 ADVANCED PRECISION CARBINE M-LOK P/N: 31955

Barrel	16"(40 cm), Medium Profile, 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	9 lbs (4.1 kg)
Length	35.75"(91 cm) to 39.5"(100 cm)



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING



SR-25 E2 SBR DSR



SR-25 E2 SHORT-BARRELED RIFLE DSR M-LOK

P/N: 31958

Barrel	14.5"(36.8 cm) 5R Cut 1:10 Twist, Dedicated Suppressor
Caliber	7.62 mm NATO / .308 Win
Weight	9.05 lbs (4.1 kg)
Length	35.25"(89.5 cm) to 39"(99 cm)



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



SR-25 E2 APR



SR-25 E2 ADVANCED PRECISION RIFLE M-LOK

P/N: 31961

Barrel	20"(51 cm) 5R Cut 1:10 Twist
Caliber	7.62 mm NATO / .308 Win
Weight	10.5 lbs (4.8 kg)
Length	39.75"(101 cm) to 43.5"(110.5 cm)



5R CUT RIFLED BARREL



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E2 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT
COUPLING

A close-up, high-angle photograph of a black SR-30 rifle. The rifle is positioned diagonally across the frame. A semi-transparent grey horizontal band runs across the middle of the image, containing the text 'SR-30' in a bold, black, italicized sans-serif font. Below this band, a series of seven black hexagons are arranged in a slightly overlapping, horizontal line. The rifle's body is detailed with various markings: 'NIGHTFAL.COM' on the upper receiver, '300 CQB MOF 2 STONER RIFLE' and a logo on the lower receiver, and 'SAFE FIRE' on the trigger guard. A scope is mounted on top of the receiver. The background is a light-colored, textured surface, possibly a metal plate, with some circular holes visible.

SR-30

SR-30 SERIES

The SR-30 takes advantage of the .300BLK cartridge, enabling a 9.5" barrel to be as capable as an 11.5" 5.56mm SBR. The Mod 2 gas block is secured with a locking ring, which results in a more rigid barrel due to the elimination of taper pin grooves, and removes the need for individually fit gas blocks. An improved E3 round-lug bolt design enhances function and increases bolt life far beyond the industry standard. The URX 4 handguard reduces weight through use of negative-space mounting systems and an integral barrel nut. An ambidextrous bolt release, selector and magazine release offer left-handed users the ergonomic advantages inherent to AR-15 based controls. This also

provides the right-handed users alternative methods of manipulation to increase efficiency of movement. The drop-in 2-stage trigger serves double duty as an aid to precision marksmanship while enabling surgical speed shooting at close range. KAC QDC-supporting muzzle devices are included, and the rifles are ready to host a suppressor with no permanent changes needed to ensure long-term reliability. Receiver end plate with ambidextrous QD sling swivel sockets, 6-position collapsible stock, fully ambidextrous lower receiver controls, extended charging handle latch, folding front and 200-600 meter rear micro sights are standard features of the SR-30.





SR-30 M-LOK

P/N: 31970

Barrel	9.5"(24 cm) 1:7 Twist, Chrome Lined
Caliber	.300 Blackout (7.62 x 35 mm)
Weight	6.2 lbs (2.81 kg)
Length	27.5"(69.2 cm) to 30.75" (70.47 cm)

 AMBIDEXTROUS CONTROLS

 MULTI LUG IMPROVED E3 BOLT

 M-LOK MOUNTING SYSTEM

 2 STAGE MATCH TRIGGER

 QDC QUICK DISCONNECT COUPLING

 300 BLACKOUT



KNIGHTARMCO.COM

A1W 8987
Model T-2 2104 # 18252218

300-COB MOD 2

STONER RIFLE



SAFE
FIRE

MADE IN U.S.A.

33710
3-07

SR-30 DSR



SR-30 DSR M-LOK

P/N: 32401

Barrel	9.5"(24.13 cm) 1:7 Twist, Dedicated Suppressor
Caliber	.300 Blackout (7.62 x 35 mm)
Weight	7.2 lbs (3.3 kg)
Length	32"(81.28 cm) to 35.5" (90.17 cm)

 AMBIDEXTROUS CONTROLS

 MULTI LUG IMPROVED E3 BOLT

 M-LOK MOUNTING SYSTEM

 2 STAGE MATCH TRIGGER

 300 BLACKOUT



SR-15



SR-15 SERIES

The SR-15 E3 Mod 2 line represents the pinnacle of the unique and revolutionary Stoner-designed operating system. The Mod 2 line features a proprietary mid-length gas system that increases reliability and durability, while also reducing felt recoil. This minimizes leakage, ensuring more consistent operation in harsh conditions, with or without an attached sound suppressor. The Mod 2 gas block is secured with a locking ring, which results in a more rigid barrel due to the elimination of taper pin grooves. This removes the need for individually fit gas blocks. An improved E3 round-lug bolt design enhances function and increases bolt life far beyond the industry standard. The URX4 handguard reduces weight through use of negative-space mounting systems and an integral barrel nut. An ambidextrous bolt release, selector and magazine release

offer left-handed users the ergonomic advantages inherent to AR-15 based controls, as well as giving right-handed users alternative methods of manipulation to increase efficiency of movement. The Drop-In 2-Stage Trigger serves double duty as an aid to long range precision marksmanship and also enabling surgical speed while shooting at close range. KAC QDC supporting muzzle devices are included and the rifles are ready to host a suppressor with no permanent changes needed to ensure long-term reliability. Receiver End Plate with Ambidextrous QD Sling Swivel Sockets, 6-Position Collapsible Stock, Fully Ambidextrous Lower Receiver Controls, Extended Charging Handle Latch, Folding Front and 200-600 Meter Rear Micro Iron Sights are standard features of the SR-15 E3 Mod 2.



SR-15 5.56mm
KNIGHT'S MFG. CO.
TITUSVILLE, FL
USA

1460

SAFE

LD

1460

SR-15 E3 MOD 2



SR-15 E3 MOD 2 M-LOK

P/N: 31900

Barrel	16"(40 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.55 lbs (2.97 kg)
Length	33.5"(85.09 cm) to 36.5"(92.7 cm)



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT
COUPLING



SR-15 E3 MOD 2 CARBINE



SR-15 E3 MOD 2 CARBINE M-LOK

P/N: 31946

Barrel	14.5"(37 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.4 lbs (2.9 kg)
Length	32"(81 cm) to 35"(89 cm)



HAMMER FORGED



AMBIDEXTRIOUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT
COUPLING




FIRE

SAFE

KAC

MOD 2

OPER RIFLE



SR-15 E3 MOD 2 CQB



SR-15 E3 MOD 2 CQB M-LOK

P/N: 31952

Barrel	11.5"(29 cm) 1:7 Twist, Hammer Forged, Chrome Lined
Caliber	5.56 mm NATO
Weight	6.25 lbs (2.83 kg)
Length	29"(73.6 cm) to 32"(81.3 cm)



HAMMER FORGED



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT
COUPLING



SR-15 E3 MOD 2 LPR



SR-15 E3 MOD 2 LIGHT PRECISION RIFLE M-LOK

P/N: 31973

Barrel	18"(45 cm) 1:7 Twist, Stainless Steel
Caliber	5.56 mm NATO
Weight	7.4 lbs (3.35 kg)
Length	35.25"(89.53 cm) to 38.5"(97.8 cm)



AMBIDEXTROUS CONTROLS



MULTI LUG IMPROVED E3 BOLT



M-LOK MOUNTING SYSTEM



2 STAGE MATCH TRIGGER



QDC QUICK DISCONNECT COUPLING

UPPER RECEIVER ASSEMBLY KITS 5.56




UPPER RECEIVER KIT, SR-15 CQB MOD 2, 11.5" BARREL, URX 4, M-LOK P/N: 31963



UPPER RECEIVER KIT, SR-15 CARBINE MOD 2, 14.5" BARREL, URX 4, M-LOK P/N: 31949



UPPER RECEIVER KIT, SR-15 MOD 2, 16" BARREL, URX 4, M-LOK P/N: 31962




UPPER RECEIVER KIT, SR-15 LPR MOD 2, 18" BARREL, URX 4, M-LOK P/N: 32309

SR-25 UPPER RECEIVER ASSEMBLY KITS



UPPER RECEIVER KIT, SR-25 E2, 14.5" CC, M-LOK P/N: 111468



UPPER RECEIVER KIT, SR-25 E2, 16" CC, M-LOK P/N: 111470
UPPER RECEIVER KIT, SR-25 E2, 16" PC, M-LOK P/N: 111474



UPPER RECEIVER KIT, SR-25 E2, 20" PR, M-LOK P/N: 111472

UPPER RECEIVER ASSEMBLY KITS SR-30



UPPER RECEIVER KIT, SR-30 MOD 2, 9.5" BARREL, URX 4, M-LOK P/N: 32310



UPPER RECEIVER KIT, SR-30 MOD 2 DSR, 9.5" BARREL, DEDICATED SUPPRESSOR, M-LOK P/N: 32403




KAC has been designing, testing and manufacturing signature reduction devices for over 30 years. From humble beginnings using hand calculations coupled with extensive testing, Knight's suppressor research and design has progressed with the pace of technology. The use of finite element analysis programs, high speed video, thermal imaging and sound pressure recording devices has helped Knight's maintain its legacy of pioneering influential devices. The resulting innovative sound suppression products, from the quick detach NT-4 and Mk11/M110 suppressors, to our current QDC (Quick Disconnect Coupler) platforms, have led to Knight's becoming the largest supplier of suppressors to the U.S. Government. One of our primary goals at Knight's is to drive suppressor application technology forward. Each Signature Reduction product we manufacture serves as a testament to this focus, and the benefits of these efforts are passed on to all of our users.



SR-25 RIFLE SUPPRESSOR 7.62/.300 PN: 98440

Gate Latch Connector attaches to SR-25 gas block. For rifles without muzzle device such as the Mk 11 Mod 0 and SR-25 ER. Length: 12.25" Weight: 29.9 oz NSN: 1005-01-474-0197



M110 SUPPRESSOR 7.62/.300 PN: 24611

Connects to SR-25 gas block. For rifles with M110 flash hider only. Gate Latch Connector Length: 14" Weight: 32.0 oz NSN: 1005-01-542-4487



H&K USP-T .45 CALIBER SUPPRESSOR PN: 97225

Threaded Connection for USP Pistols Length: 7.5" Weight: 15.4 oz




MK23 .45 CALIBER SUPPRESSOR PN: 94368

Threaded Connection for Mk23 Pistols Length: 7.5" Weight: 15.4 oz NSN: 1005-01-435-1917

**5.56MM QDSS NT4 (BLACK) KIT PN: 96062-1**


Connects to M4QD and Triple Tap Compensator.
NT4 Gate Latch Connector.
Length: 6.5" Weight: 22 oz NSN: 1005-01-437-0324

**5.56MM QDSS NT4 (FLAT DARK EARTH) KIT PN: 96062-2**


Connects to M4QD and Triple Tap Compensator.
NT4 Gate Latch Connector.
Length: 6.5" Weight: 22 oz NSN: 1005-01-568-4844

**5.56QDC/CQB SUPPRESSOR P/N: 30192**

Connects to all 5.56 QDC Muzzle Devices. QDC Connection.
Available in Black and Flat Dark Earth (-BLK) (-FDE).
Length: 5" Weight: 13.2 oz
NSN: 1005-01-474-0197

**5.56QDC SUPPRESSOR PN: 30123**

Connects to all 5.56 QDC Muzzle Devices. QDC Connection.
Available in Black and Flat Dark Earth (-BLK) (-FDE).
Length: 6.5" Weight: 16.7 oz NSN: 1005-01-627-4080



M110 SUPPRESSOR 7.62/.300 PN: 24611
*Connects to SR-25 gas block. For rifles with M110 flash hider only. Gate Latch Connector
Length: 14" Weight: 32.0 oz
NSN: 1005-01-542-4487*



7.62QDC/QB SUPPRESSOR 7.62/.300 PN: 30179
*Connects to 7.62 MAMS and 7.62 Flash Hider. QDC Connector. Available in Black and Flat Dark Earth
Length: 6.43" Weight: 14.1 oz
NSN: 1005-01-601-1822*



7.62QDC SUPPRESSOR 7.62/.300 PN: 30178
*Connects to 7.62 MAMS and 7.62 Flash Hider. QDC Connector. Available in Black and Flat Dark Earth
Length: 7.78" Weight: 19.6 oz
NSN: 1005-01-623-8914*



The KAC MAMS (Multi-Axis Muzzle Stability) muzzle brake provides compensation in all axes, allowing the shooter to maintain point of aim from either shoulder, in any position. The MAMS is designed to minimize shooter signature by reducing flash blast and lateral concussive force compared to other similarly performing brakes. The QDC mounting method provides industry-leading suppressor shift mitigation and consistency and is compatible with the family of 556 and 762QDC suppressors.

The KAC QDC Flash Hider is a major step forward in signature suppression and suppressor hosting. The three tines provide superior strength, longevity, and flash signature reduction that will not ring during firing or when struck. Muzzle device kits come complete with shims and thread locker for assembly.



P/N: 93048
NSN: 1005-01-460-3249



P/N: 32316



P/N: 30555
NSN: 1005-01-627-4082



P/N: 30168

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
93048	M4QD FLASH HIDER KIT	Flash Hider Compatible with QDSS-NT4 Suppressor.	5.56	1.88" (46 mm)	2.4 oz (68g)	1/2" x 28
32316	NT4 MAMS KIT	Compensator Compatible with QDSS-NT4 Suppressor.	5.56	2.10" (71 mm)	2.3oz (65g)	1/2" x 28
30555	556 QDC FLASH ELIMINATOR KIT	3-Prong Flash Hider for QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.15" (53 mm)	2.3 oz (65g)	1/2" x 28
30168	556 MAMS MUZZLE BRAKE KIT	Brake For Connecting QDC Suppressors. 5.56 QDC Suppressor Compatible.	5.56	2.20" (56mm)	2.3 oz (65g)	1/2" x 28

All Kits Include 7-Piece Shim Set & Rocksett Adhesive

DO NOT DESTROY





P/N: 25877



P/N: 31194





P/N: 30169
P/N: 30598

P/N	NAME	DESCRIPTION	CALIBER	LENGTH	WEIGHT	THREAD
25877	M110 FLASH HIDER KIT	M110 Flash Hider for use with M110 Suppressor.	UP TO .30	2.6" (65 mm)	3.4 oz (96.5g)	3/4" x 24
31194	762QDC 3-PRONG FH KIT	7.62 QDC Suppressor Compatible 3-Prong Flash hider.	UP TO .30	2.8" (70 mm)	4.9 oz (139g)	3/4" x 24
30169	762MAMS KIT	762QDC Suppressor Compatible Multi-Axis Muzzle Stability Brake.	UP TO .30	3.1" (78 mm)	4.8 oz (136g)	3/4" x 24
30598	762MAMS KIT	762QDC Suppressor Compatible Multi-Axis Muzzle Stability Brake.	UP TO .30	3.1" (78 mm)	5.1 oz (144.5g)	5/8" x 24


All Kits Include 7-Piece Shim Set & Rocksett Adhesive

One of the products that put Knight's on the map was the revolutionary M4 Carbine Rail Adapter System (RAS), a robust, quad rail handguard that has been issued to over 1 million of our nation's warfighters. We have since improved and refined our forend system designs, constantly striving for better ergonomics, lighter weight, increased stability and added modularity. The URX 4 is an example of Knight's drive to innovate and manufacture intelligent solutions for the contemporary user. The URX 4 is our first negative-space accessory mounting compatible system, as well as our most stable handguard to date due to its one-piece construction. The URX 4's unique patented Integrated Barrel Nut (IBN) attachment method allows the handguard itself to act as the barrel nut, eliminating this separate component entirely; creating an exceptionally lightweight, yet solid platform.







URX 4 5.56 M-LOK P/N: 32304-0850
Forend Kit, URX 4 5.56
Length: 8.5" Weight: 8.96 oz




URX 4 5.56 M-LOK P/N: 32304-1000
Forend Kit, URX 4 5.56
Length: 10.0" Weight: 10.08 oz



URX 4 5.56 M-LOK P/N: 32304-1075
Forend Kit, URX 4 5.56
Length: 10.75" Weight: 10.2 oz



URX 4 5.56 M-LOK P/N: 32304-1300
Forend Kit, URX 4 5.56
Length: 13.0" Weight: 12.7 oz



URX 4 5.56 M-LOK P/N: 32304-1450
Forend Kit, URX 4 5.56
Length: 14.5" Weight: 13.8 oz



URX4 P/N-91885-1480

7


HANDGUARDS URX 3 & 3.1



URX 3 P/N: 30210

5.56, (Armorer Install)


Length: 8.0" Weight: 8.6 oz



URX 3.1 P/N: 30590

5.56, (Armorer Install)


Length: 10.75" Weight: 11.4 oz



URX 3.1 P/N: 30325

5.56, (Armorer Install)

Length: 13.5" Weight: 13.8 oz




URX 3.1 P/N: 30259


7.62, (Armorer Install)

Length: 13.5" Weight: 14.2 oz


NSN: 1005-01-623-8921



M4 CARBINE RAS P/N: 98064
Length: 6.25" Weight: 8.9 oz NSN: 1005-01-500-4441



M5 RIFLE RAS P/N: 98065
Length: 11.5" Weight: 14.4 oz
NSN: 1005-01-452-6771



FREE FLOAT RIFLE RAS P/N: 21318
Length: 12" Weight: 16.3 oz
NSN: 1005-01-562-0913







CAUTION: HOT SURFACE

TVM





M-LOK 3" RAIL SECTION (5 SLOT)
P/N: 31912

This KAC M-LOK Accessory Rail is 3" in length and provides a 5 slot section of MIL-STD-1913 Picatinny rail for the addition of tactical accessories. Designed specifically for the URX 4 handguard, this rail section is also compatible with any other rifle handguard that has a M-LOK interface. Aluminum construction



M-LOK SCOUT LIGHT MOUNT
P/N: 31906

The KAC M-LOK mount for SureFire M300 and M600 Scout Lights is a lightweight, direct-attach mounting platform that replaces the OEM mount. The mount can be positioned to place the light close to the handguard at any position from 1:30 to 11:30 in relation to the top 12:00 rail Aluminum construction



M-LOK BARRIER STOP
P/N: 31916

The KAC M-LOK Skeletonized Barrier Stop eliminates all unnecessary weight while still being robust enough for hard-use. The serrated front edge will bite into most surfaces at any angle of contact. Steel construction.



M-LOK BARRIER STOP WITH INTEGRAL QD SOCKET
P/N: 32397

The KAC M-LOK Barrier Stop attaches quickly and securely to an M-LOK interface. Aluminum.




M-LOK SLING MOUNT
P/N: 32096

The KAC M-LOK Sling Mount attaches quickly and securely to an M-LOK interface. The sling mount is compatible with pushbutton sling swivels (sold separately).







KEYMOD FLAT PANEL KIT

P/N: 31190

The Knight's Keymod Flat Panel Kit includes a set of seven polymer rail panels. Each textured panel snaps securely to any bare section of Keymod equipped rail, providing a more positive gripping surface and also insulating the support hand from barrel heat. While designed for the URX 4, these panels will also fit any other rifle handguard that has a Keymod interface. Available in Flat Dark Earth-FDE, and Black-BLK.



P/N: 30714



P/N: 30717



P/N: 30712



P/N: 30710



P/N	NAME	LENGTH
30714	KEYMOD 5-Slot Rail	3"
30717	KEYMOD 7-Slot Rail	3.7"
30712	KEYMOD 9-Slot Rail	4.5"
30710	KEYMOD Full Side Rail	12"



KEYMOD SCOUT LIGHT MOUNT P/N: 31232

The KAC Keymod mount for SureFire Scout Lights is a lightweight, direct-attach mounting platform. The mount can be positioned to place the light tight to the handguard at any position from 1:30 to 11:30. Aluminum construction.



KEYMOD HANDSTOP P/N: 30795

Textured handstop provides a reference point for the support hand that helps the shooter to acquire a consistent grip on the rifle. Lightweight polymer construction. Available in Flat Dark Earth-FDE, and Black-BLK.




KEYMOD BARRIER STOP P/N: 31233

The KAC Skeletonized Keymod Barrier Stop eliminates all unnecessary weight while still being robust enough for hard-use. An aggressively serrated front edge will bite into most surfaces at any angle of contact. This barrier stop incorporates a QD sling swivel socket, as well as the ability to clip a sling directly to the device via an HK-style clip. Aluminum construction.



KEYMOD BELT HOOK ASSEMBLY P/N: 30750

The KAC Keymod Belt Hook Assembly attaches quickly and securely to the URX 4 rail or any other rifle handguard that has a Keymod interface. It is useful for securing a rifle out of the way by hooking it to one's belt or to a section of webbing, freeing the user's hands to perform other tasks. Aluminum construction.



KEYMOD SLING HOOK ASSEMBLY P/N: 30749

The KAC Keymod Sling Hook Assembly was designed for uses of single point slings. When both hands are required for non-gun-related tasks, the user may snag a portion of the sling with the hook, drawing the rifle's forend snugly to the side of the body instead of dropping the gun to bounce freely between the legs. It attaches and securely to the URX 4 or any other rifle handguard with a Keymod interface. Aluminum construction.




KEYMOD QD SLING MOUNT

P/N: 30708

The KAC Keymod Sling Mount attaches quickly and securely to the URX 4 or any other rifle handguard that has a Keymod interface. The sling mount is compatible with push button sling swivels (sold separately).




CONTROL ACCESSORIES PANEL KITS URX 3.1



URX 3.1 DELUXE RAIL PANEL KIT

P/N: 30409

1 - single hole hand stop with long installation screw, 3 - slim 2 hole panels, 2 - standard 2 hole panels, 2 standard 3 hole panels, 1 standard 2 hole hand stop panel, 3 - 8 rib rail sections, 10 installation screws, 5 - square backing nuts. Available in Flat Dark Earth-FDE, Taupe-TAU, Tan-TAN, and Black-BLK.



URX 3.1 PANEL KIT

P/N: 30408

1 - single hole hand stop with long installation screw, 3 - slim 2 hole panels, 2 - standard 2 hole panels, 2 standard 3 hole panels, 1 standard 2 hole hand stop panel, 3 - 8 rib rail sections, 10 installation screws, 5 - square backing nuts. Available in Flat Dark Earth-FDE, Taupe-TAU, Tan-TAN, and Black-BLK.



URX 3.1 PANEL KIT, LONG

P/N: 30410

2 - standard 3 hole panels, 1 - slim 2 hole panel, 1 - standard 2 hole hand stop panel, 8 - installation screws, 4 - square backing nuts. Available in Flat Dark Earth-FDE, Taupe-TAU, Tan-TAN, and Black-BLK.



URX 3.1 HANDSTOP

P/N: 30411

Attaches to URX 3.1 handguard systems, Includes attachment screw and retention nut. Available in Flat Dark Earth-FDE, and Black-BLK



URX RAIL 7 SLOT

P/N: 30412

MIL-STD-1913 rail section. Polymer construction, Available in Flat Dark Earth-FDE, and Black-BLK. P/N: 30412-ALU constructed of aluminum.



URX 3 & 3.1 QD SLING SWIVEL MOUNT KIT
P/N: 30491


Attaches to URX 3.1 handguard systems, Includes attachment screw and retention nut.



URX 3.1 SLING HOOK

P/N: 30700

Compatible with both URX III and URX 3.1 handguards



URX 3.1 BELT HOOK

P/N: 30701

Compatible with URX 3.1 handguards.



SWIVEL MOUNT ASSEMBLY
P/N: 98720

Push button sling swivel mount that fits any MIL-STD-1913 rail to allow for optimal operator customization.
NSN: 1005-01-498-4854



RUBBERIZED THUMB REST
P/N: 30537

This rubberized thumb rest features an elevated stop and textured grip to accommodate an isosceles shooting stance. Designed to be installed on a MIL-STD-1913 top rail.



TERMINATOR HANDSTOP WITH QD SLING SWIVEL SOCKET
P/N: 25460

Attaches to MIL-STD 1913 accessory rail with a single flat-head screw



P/N	NAME	NSN #
97098-TAU	Taupe Forward Pistol Grip	NSN: 1005-01-416-1091
97098-GRN	Green Forward Pistol Grip	
97098	Black Forward Pistol Grip	

P/N	NAME	NSN #
95047	11 Rib Panel Black	NSN: 1005-01-553-8053
95047-GRN	11 Rib Panel Green	
95047-TAN	11 Rib Panel Tan	
95047-TAU	11 Rib Panel Taupe	NSN: 1005-01-592-1539
97169	9 Rib Panel Black	N/A
97168	6 Rib Panel Black	N/A
97167	5 Rib Panel Black	NSN: 1005-01-453-4221
97166	4 Rib Panel Black	NSN: 1005-01-488-5573
97164	2 Rib Panel Black	N/A









AMBI MAGAZINE RELEASE

P/N: 20470-1

Left-side magazine release for AR pattern rifles. Oversized release button. Weight: 3 oz.



ENHANCED MAGAZINE RELEASE KIT

P/N: 32394

Enlarged engagement area button is easily installed by replacing any standard, mil-spec magazine release button. Requires no modification to the host firearm.



MODULAR SELECTOR KIT SEMI-AUTO
P/N:111064

Kit includes multiple selector options to suit individual shooter preferences. There is the choice of any combination of short or long left or right side selectors, and a semi-flush indicator that provides a visual indication of the rifle's firing mode only. Installation is a simple, drop-in procedure. Compatible with both SR-15/AR-15 and SR-25 platforms.



SEMI-AUTO AMBI SAFETY SELECTOR

P/N: 25776

Amidextrous Safety Selector available with a beveled selector or standalone headpiece for optimal operator customization.
NSN: 1005-01-601-5593



SEMI-AUTO 2 STAGE DROP-IN TRIGGER

P/N: 25926

2-Stage, Match 4.5 lbs pull. Weight 2.4 oz
NSN :1005-01-640-8970




SR-25 FIELD REPAIR KIT
SR-25 E2 FIELD REPAIR KIT

P/N: 98076-1
P/N: 31300

Firing Pin, Extractor, Bolt Rings, etc. for SR-25
Weight 1.2 oz

NSN :1005-01-562-9451 (98076-1)



SR-15 FIELD REPAIR KIT

P/N: 23339-1

Firing Pin, Extractor, Bolt Rings, etc. for SR-15
Weight 1.2 oz.



SR-15 E3 BOLT ASSEMBLY

P/N: 20434

This is a Complete Bolt Assembly with all internal parts installed. The E3 Bolt is compatible with Knight's Armament E3 Barrel Extensions only.



SR-25 20 ROUND MAGAZINE

P/N: 98036-1

Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.
NSN: 1005-01-473-1403



SR-25 10 ROUND MAGAZINE

P/N: 98037-1

Constructed of heat-treated steel, this magazine also features a positive locking clip on its base plate.
NSN: 1005-01-473-1405



AMBI QD SLING SWIVEL MOUNT

P/N: 24103

Receiver end plate integrates a QD sling swivel socket on either side for ambidextrous use. Free rotation



AMBI QD SLING SWIVEL MOUNT

P/N: 22051-1

Receiver end plate integrates a QD sling swivel socket on either side for ambidextrous use. Rotation limited.

*NSN: 1005-01-601-5594
with QD swivel P/N: 24103-1*



BALL LOCK SLING SWIVEL EYELET

P/N: 21317

KAC Ball Lock Sling Swivel Eyelet installs into QD sling swivel sockets and locks in place via a set screw.

NSN: 1005-01-505-6087



PUSH BUTTON SLING SWIVEL

P/N: 97079

This KAC Heavy Duty Push Button Sling Swivel has a 1-1/4" loop. For use with QD sling swivel sockets.

NSN: 1005-01-505-6088



BOREROD GUIDE P/N: 30640

SR-25 7.62 bore rod guide assembly. Polymer construction.



AR-15 PATTERN AMBI CHARGING HANDLE P/N: 31177
SR-25 PATTERN AMBI CHARGING HANDLE P/N: 30538

Intermediate sized latch pads are easily accessible and permit manipulation of the charging handle with a pinch-grip, index finger hook, or knife-hand from either side of the receiver, without over-protrusion posing a snag hazard. Innovative design will not cause the handle to lock-up even if one of the latches is damaged.



NEW

SR-15/SR-16 CHROME SAND CUTTER BOLT

CARRIER PN: 30091-1

This full auto carrier is compatible with the Knight's E3 Bolt as well as any other AR-15/M4 TDP Bolt. Our 30091-1 carrier features Sand Cutting grooves on the carrier body for improved reliability in adverse environments. Each bolt carrier is hard chromed for ease of cleaning and durability.



KAC PRECISION BIPOD**P/N: 31693**

Highly adjustable bipod with swivel and track capability. Legs can be independently deployed to 6 positions: 0, 45, 67.5, 90, 135, and 180 degrees. With the legs at 90 degrees on a flat surface it provides 6.875 to 9.25 inches of height from the bottom rail in 5 easily selectable increments. Unobtrusive, easily manipulated lever enables full yaw release and lock. Tension screw adjusts yaw drag, and may be placed on either side of base or removed completely. Single push-button retention feature allows single-handed mounting and dismounting.

**KAC PRECISION BASE FOR HARRIS BIPODS P/N: 31761**

Provides the swivel and tracking features of the KAC Precision Bipod, but allows a retrofit of the Harris-S Series type bipod leg assembly.

**QD BIPOD MOUNT SWIVEL****P/N: 30526**

Quick detach bipod mount that fits any MIL-STD-1913 rail. Allows limited swivel movement along the barrel's axis. Compatible with Harris S-Series Bipods only.

**MWS BIPOD ADAPTER****P/N: 98060**

Designed for lower rail. Includes QD Stud 97030.
NSN: 1005-01-468-0350

SIGHTING ACCESSORIES



300M REAR FLIP SIGHT
P/N: 97082

300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Removable peep insert to expose 5mm diameter "ghost ring" aperture. NSN: 1005-01-449-6306



600M REAR FLIP SIGHT
P/N: 98474

600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. NSN: 1005-01-449-6868



FOLDING M4 FRONT SIGHT
P/N: 99051

Originally designed for the US military's SOPMOD rifle program, the Knight's M4 Folding Front Sight is a low profile backup sighting solution that is designed to be attached to the top rail of a rifle's handguard. NSN: 1005-01-473-1410
Also available in Taupe. 99051-TAU



MICRO 300M FLIP UP REAR SIGHT
P/N: 25475

Micro 300m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14"



MICRO 600M FLIP UP REAR SIGHT
P/N: 25650

Micro 600m Rear Flip Sight which mounts to any MIL-STD-1913 rail system. Weight 1.5 oz, Length Folded 2.14" NSN: 1005-01-601-5578



MICRO FLIP UP FRONT SIGHT
P/N: 25654

Micro Front Flip Sight which mounts to any MIL-STD-1913 rail system. Tool-less adjustments. NSN: 1005-01-601-5576



45° OFFSET CLAMP MOUNT REAR FOLDING SIGHT

P/N: 30878


The sights attach securely to the 12 o'clock rail position. Includes an elevation and windage adjustable 200-600 Meter Micro Rear Sight. Improved mounting base.



45° OFFSET CLAMP MOUNT FRONT FOLDING SIGHT

P/N: 31592

The sights attach securely to the 12 o'clock rail position. Includes an elevation adjustable Micro Front Sight. Improved mounting base



45° OFFSET CLAMP MOUNT FOLDING SIGHT KIT
P/N: 31593

The sights attach securely to the 12 o'clock rail position and, once deployed, a quick roll of the rifle is all that's needed to acquire a usable sight picture. When not required the sights fold neatly to the right of the rifle's top rail. Includes an elevation adjustable 200-600 Meter Micro Rear Sight and finger adjustable Micro Front Sight assembly. Improved mounting base.



ONE-PIECE SCOPE MOUNT

Scope Mounts for day optics. Fits any MIL-STD-1913 rail system. 1.5" ring height. Available in Black and Taupe. NSN: 1240-01-601-5572

30MM
P/N: 24755
34MM
P/N: 25284



RAISED AND EXTENDED NVG MOUNT

High Profile Scope Mount. Fits any MIL-STD-1913 rail system. One-piece construction, forward optic mounting for extended eye relief. 2" ring height.

30MM
P/N: 30520
34MM
P/N: 30194



RAILED HIGH RISER

P/N: 30657

Quick detach, elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, high rise rail segment to accommodate greater elevations of any rail-attachable accessories. 1.25" Height



RAILED LOW RISER

P/N: 30779

Quick detach, slightly elevated rail segment that fits any MIL-STD-1913 rail. Quick detach, low rise rail segment to accommodate minor elevations of any rail-attachable accessories. 0.75" Height



45-DEGREE OFFSET RAIL MOUNT KIT

P/N: 30480

Fits any MIL-STD-1913 rail. Rail segment which allows any rail-attachable accessory to 45°



AIMPOINT HIGH NVG MOUNT

P/N: 30102

High-profile riser block for an Aimpoint T1 Micro. Attaches to any MIL-STD-1913 rail via a quick-detach throw lever.



45° OFFSET AIMPOINT MOUNT

P/N: 30279

Offset Aimpoint Micro Mount is intended to be attached to either the 3 o'clock or 9 o'clock rail position, placing the red dot to the side of a primary optic at a 45 degree angle.



SCOPE RING

Offset Scope Ring Mount attaches an Aimpoint Micro optic to a magnified scope tube for use in close range engagements. Kit includes 2 Knight's Aimpoint Micro Battery Cap Assemblies.


30MM
P/N: 20654
34MM
P/N: 30108



AIMPOINT MICRO MOUNT, SCOPE MOUNTED

Mounts to the optic tube, or replaces a KAC scope mount cap, to place a Micro Aimpoint onto a magnified optic.

30MM
P/N: 30134
34MM
P/N: 31649



RAIL MOUNT ANTI-CANT DEVICE

P/N: 30855

Bubble level reference to ensure correct orientation of rifle for increased consistency. Compact enough to fit under most optics with no side protrusion/snag hazard.

NEW



AIMPOINT MICRO NVG HIGH RISE MOUNT PN:32422

The Aimpoint Micro NVG High Rise Mount allows for a more comfortable, natural and effective use of night vision devices by lifting the optic center to a height of 2.33" above of the receiver. The mount also allows for the ability to look directly through the mount to effectively use back up iron sights, while an integrated section of picatinny rail allows for the use of Aimpoint, or similar, magnifiers. For a NVG height mount without the picatinny rail, P/N 30102 NVG Elevated Quick Detach Aimpoint Micro Mount Kit is still available.

Specifications:

Height: 2.33" to optic center

Material: Aluminum

Color: Black





NEW

MODULAR SELECTOR KIT P/N: 111064

Kit includes multiple selector options to suit individual shooter preferences. There is the choice of any combination of short or long left or right side selectors, and a semi-flush indicator that provides a visual indication of the rifle's firing mode only. Installation is a simple, drop-in procedure. Compatible with both SR-15/AR-15 and SR-25 platforms.



NEW

SEMI-AUTO 2-STAGE DROP-IN TRIGGER P/N: 25926

2-Stage, Match 4.5 lbs pull. Weight 2.4 oz NSN :1005-01-640-8970



NEW

ENHANCED MAGAZINE RELEASE KIT P/N: 32394

Enlarged engagement area button is easily installed by replacing any standard, mil-spec magazine release button. Requires no modification to the host firearm.

MUZZLE DEVICES



P/N: 111583




P/N: 31194


P/N	NAME	MUZZLE DESCRIPTION	THREAD	LENGTH	WEIGHT
111583	QDC 3-Prong Flash Suppressor Kit	7.62 QDC Flash Suppressor	3/4" x 24	2.25" (57 mm)	4.9oz (138g)
31194	QDC Flash Suppressor Kit	7.62 QDC Flash Suppressor	1/2" x 28	2" (50 mm)	3.9oz (110g)

All Kits Include 7-Piece Shim Set & Rocksett Adhesive

SUPPRESSORS



P/N: 111672



P/N: 111671

P/N	NAME	SUPPRESSOR DESCRIPTION	CALIBER	LENGTH	WEIGHT
111672	Precision Rifle Suppressor	Suppressor, 7.62 QDC/PRS	Up to 300 WM	9.24" (234 mm)	20.8oz (589g)
111671	Combat Rifle Suppressor	Suppressor, 7.62 QDC/CRS	Up to 300 WM	6.52" (165 mm)	15.8oz (447g)

Available in Black and FDE



P/N	NAME	LENGTH	WEIGHT
97198	HK MP5 RAS	7.75" (197 mm)	9.6oz (272g)
98067	HK 93 RAS	11.5" (292 mm)	13oz (368g)
98068	HK 91 RAS	14" (356 mm)	15oz (425g)

P/N: 97198



KNIGHT'S ARMAMENT CO. TITUSVILLE, FL. WWW.KNIGHTARMCO.COM

P/N: 98067





H & K 93 R.A.S. PN:98067

P/N: 98068



H&K 91 R.A.S. PN-98068



P/N	NAME	LENGTH	WEIGHT
20208	Free Float RAS (Carbine)	7" (178 mm)	14.2oz (403g)
20211	Free Float RAS (Too Long)	9" (229 mm)	17.6oz (499g)
21166-2	MRE Free Float (More Real Estate)	12" (305 mm)	22.4oz (635g)



WWW.KACGEAR.COM



KAC Gear is the central stop for all your Knight's Armament Company merchandise. It consists of fashions for both men and women and all manner of accessories. Baggage and other nylon goods are also featured here and serve as fashionable arm candy as well as rugged range gear. Be sure to browse through the posters, stickers, or other printed mediums and share some Knight's Armament propaganda. The imperishable quality of Knight's Armament products and the dedication to useful and durable designs has been translated to the Knight's Gear line of products. Experience the difference and show off your Knight's pride with some Knight's Gear today! International Shipping available.



KNIGHTVISION™

The KnightVision component of KAC continues its unrelenting focus on research, design, and production of weapon sights purpose-built for SOF applications. From its humble beginnings of developing a temporary solution in the early 1990's, KAC now has an entire family of inline Clip-on Universal Night Sights (UNS). These sights are designed to be positioned in front of a conventional day optic, while still providing the user with the same ballistic zero as when unaided. The KnightVision product line spans image intensification, uncooled thermal, and fused passive IR and I² types of night vision augmentation devices. These innovative designs and engineering solutions have been rewarded with milestone contracts as the longer range version of USSOCOM's UNS, to include the AN/PVS-22, AN/PVS-26, AN/PVS-30, and AN/PAS-31. All of KAC's UNS products are manufactured at Knight's Headquarter facility located in Titusville, Florida.



784A

1911
1911
1911
1911
1911

869A-31

3000



Email: salesteam@knightarmco.com

Phone: 321.607.9900

Fax: 321.268.1498

701 Columbia Blvd.

Titusville, Florida 32780

www.knightarmco.com

ITAR
International Traffic in Arms Regulations

© Knight's Armament Company. Printed and designed in the United States of America. No part of this publication may be reproduced without the prior written consent of Knight's Armament Company. Products are subject to change without notice. Knight's Armament Company is an ISO 9001 Certified Company. The products, product specifications, nomenclature, and availability of all items featured in this document are subject to change at the discretion of Knight's Armament Company. Products may be photographed with optional accessories.

ITAR STATEMENT: These item(s) are firearm or defense related goods. Export of the goods described herein is strictly prohibited without a valid export license issued by the US Department of State, Directorate of Defense Trade Controls as prescribed in International Traffic in Arms Regulation (ITAR), code of federal regulations, Title 22, Parts 120- 130.



KNIGHTARMCO.COM

